SECTION 12 - MULTIPLE DWELLING- THIRD DENSITY ZONE- RM3

The following provisions shall apply in all MULTIPLE DWELLING- THIRD DENSITY ZONES RM3:

No PERSON shall HEREAFTER USE any BUILDING, STRUCTURE or land, nor ERECT any BUILDING or STRUCTURE except in accordance with the following provisions:

12.1 USES PERMITTED

12.1.1 Residential:

SINGLE-DETACHED DWELLING

SEMI-DETACHED DWELLING

DUPLEX

TRIPLEX (By-law 9621)

FREEHOLD TRIPLEX (By-law 2004-12)

FOURPLEX (By-law 9621)

TOWNHOUSE

GROUP HOME (By-law 7670)

STREET TOWNHOUSE (By-law 9439)

BOARDING OR LODGING HOUSE

BED & BREAKFAST

12.2 <u>SINGLE-DETACHED DWELLING AND GROUP HOME</u> (By-law 7670)

12.2.1 LOT FRONTAGE:

Minimum - 15 metres

12.2.2 *LOT AREA*:

Minimum - 555 square metres

12.2.3 *YARD* Requirements:

FRONT YARD - minimum 6.0 metres

REAR YARD - minimum 7.5 metres

SIDE YARD - minimum 1.5 metres

12.2.4 GROUND FLOOR AREA:

Minimum - 55 square metres

12.2.5 GROSS FLOOR AREA:

Minimum - 65 square metres

12.2.6 LOT COVERAGE:

Maximum - 35 percent

12.3 <u>SEMI-DETACHED DWELLING OR DUPLEX</u> (By-law 9196)

Regulations for a <u>SEMI-DETACHED</u> <u>DWELLING</u> or a <u>DUPLEX</u>

Regulations for each *DWELLING UNIT* of a <u>SEMI-DETACHED</u>
<u>DWELLING</u>

12.3.1 LOT FRONTAGE:

Minimum 18 metres Minimum 9 metres

12.3.2 *LOT AREA*:

Minimum 612 square metres Minimum 306 square metres

12.3.3 GROSS FLOOR AREA per DWELLING UNIT:

Minimum - 65 square metres

12.3.4 LOT COVERAGE:

Maximum - 40 percent

12.3.5 *YARD* Requirements:

Regulations for a <u>SEMI-DETACHED</u> <u>DWELLING</u>

Regulations for each *DWELLING UNIT* of a <u>SEMI-DETACHED</u> *DWELLING*

FRONT YARD:

Minimum 6 metres Minimum 6 metres

REAR YARD:

Minimum 7.5 metres Minimum 7.5 metres

SIDE YARD:

Minimum Exterior -

Minimum 1.5 metres Minimum 1.5 metres

Common Wall - 0 metres

GROUND FLOOR AREA per DWELLING UNIT:

Minimum for SEMI-DETACHED DWELLING - 50 square metres

Regulations for a <u>DUPLEX</u>

FRONT YARD:

Minimum 6 metres

REAR YARD:

Minimum 7.5 metres

SIDE YARD:

Minimum one side 1.8 metres

Minimum other side 2.4 metres

12.4 TRIPLEX AND FOURPLEX

12.4.1 LOT FRONTAGE:

Minimum - 21.0 metres (By-law 6692)

12.4.2 LOT AREA:

Minimum - 665 square metres

12.4.3 *YARD* Requirements:

FRONT YARD minimum 6.0 metres

REAR YARD minimum 7.5 metres

SIDE YARD minimum one side 1.8 metres

minimum other side 2.4 metres

12.4.4 GROSS FLOOR AREA per DWELLING UNIT:

Minimum - 65 square metres (By-law 2972)

12.4.5 LOT COVERAGE:

Maximum - 40 percent (By-law 2972)

12.4A <u>FREEHOLD TRIPLEX</u> (By-law 2004-12)

Regulations for a FREEHOLD TRIPLEX

Regulations for each DWELLING UNIT of a FREEHOLD TRIPLEX

12.4A.1	LOT FRONTAGE	Minimum 21.0 metres	Interior Unit - Minimum 6 metres
			End Unit - Minimum 9 metres
12.4A.2	LOT AREA	Minimum 665 square metres	Minimum 232 square metres
12.4A.3	FRONT YARD	Minimum 6.0 metres	Minimum 6.0 metres
	REAR YARD	Minimum 7.5 metres	Minimum 7.5 metres
	SIDE YARD	Minimum 3.0 metres	Minimum End Units - 3.0 metres
			Minimum Interior Units - 1.5 metres
			Common Wall - 0 metres
12.4A.4	GROUND FLOOR AREA	N/A	Minimum 40 square metres
12.4A.5	GROSS FLOOR AREA	N/A	Minimum 65 square metres
12.4A.6	LOT COVERAGE	Maximum 40%	Maximum 40%
12.5	TOWNHOUSE (By-law 20	003-137)	
		Regulations for a <u>TOWNHOUSE</u> LOT	Regulations for a <u>TOWNHOUSE</u> BUILDING
12.5.1	LOT FRONTAGE		<u>TOWNHOUSE</u>
12.5.1 12.5.2		TOWNHOUSE LOT	TOWNHOUSE BUILDING N/A Minimum 232 square
	LOT FRONTAGE	TOWNHOUSE LOT Minimum 21.0 metres Minimum 232 square metres	TOWNHOUSE BUILDING N/A Minimum 232 square metres per DWELLING
12.5.2	LOT FRONTAGE LOT AREA	TOWNHOUSE LOT Minimum 21.0 metres Minimum 232 square metres per DWELLING UNIT	TOWNHOUSE BUILDING N/A Minimum 232 square metres per DWELLING
12.5.2	LOT FRONTAGE LOT AREA FRONT YARD	Minimum 21.0 metres Minimum 232 square metres per DWELLING UNIT Minimum 6.0 metres	N/A Minimum 232 square metres per DWELLING UNIT Minimum 7.5 metres from rear of unit to

UNIT 12.5.5 GROSS FLOOR AREA N/A Minimum 65 square metres per DWELLING UNIT 12.5.6 LOT COVERAGE N/A 40% 12.5A STREET TOWNHOUSE (By-law 9196) Regulations for a **STREET** Regulations for each DWELLING UNIT of a STREET TOWNHOUSE **TOWNHOUSE** 12.5A.1 LOT FRONTAGE: Minimum 27 metres Interior Unit - Minimum 6 metres End Unit - Minimum 10.5 metres 12.5A.2 LOT AREA: Minimum 928 square metres Minimum 232 square metres 12.5A.3 YARD Requirements: FRONT YARD: Minimum 6 metres Minimum 6 metres REAR YARD: Minimum 7.5 metres Minimum 7.5 metres SIDE YARD: Minimum 4.5 metres Minimum end units 4.5 metres Minimum Interior Units - 1.5 metres (By-law 2003-137) Common Wall - 0 metres 2003-137) 12.5A.4 **GROUND FLOOR AREA**: Minimum 40 square metres n/a GROSS FLOOR AREA: 12.5A.5 n/a Minimum 65 square metres

Maximum 40 percent

12.5A.6

LOT COVERAGE:

Maximum 40 percent

12.6 BOARDING OR LODGING HOUSE

The requirements for a *BOARDING OR LODGING HOUSE* shall conform to the provisions of Section 11.4 of this By-law.

12.8 EXCEPTIONS

12.8.1 Parcel 1

Notwithstanding the provisions of Section 12.1.1 and 12.1.2, Frank Panneta being the owner of the east half of *LOT* 46, Fitch and Griffiths Plan, being part of Plan 1649 for the City of Welland, be given a special home occupancy *USE* allowing him to conduct a two-chair barber shop on the premises provided he resides and works in the same *BUILDING*. (By-law 3089)

(190 LINCOLN STREET)

12.8.2 Notwithstanding anything contained in Section 12.1 that:

<u>Firstly</u>: All of *LOTS* 5 and 6 on the South side of West Main Street, according to Jesse Stoner Plan for the City of Welland, and now part of Registered Plan 1649, for the said City.

<u>Secondly</u>: The East half of the East Half of *LOT* 7 on the south side of West Main Street, according to Jesse Stoner Plan for the City of Welland, and now part of Registered Plan 1649 for the said City.

<u>Thirdly:</u> The Westerly 12.192 metres from front to rear of *LOT* Number 12, on the North Side of Bald Street, according to Jesse Stoner Plan for the City of Welland, and now part of Registered Plan 1649 for the said City, and any buildings or structures located or erected on the said lands may be used as a *FUNERAL HOME* together with off-*STREET* parking; provided that all other provisions of this By-law, as amended, shall apply. **(By-law 3141)**

(241 WEST MAIN STREET - ALSO SEE: 12.8.3, 12.8.4, 12.8.7)

12.8.3 Notwithstanding anything contained in By-law No. 2667, LOT 5 on the south side of West Main Street according to the Jesse Stoner Plan for the City of Welland, and now part of Registered Plan 1649 for the said City, be exempted from the requirements for FRONT YARDS to the extent only that a BUILDING may be constructed thereon to within 2.134 metres of the front line. (By-law 3241)

(241 WEST MAIN STREET - ALSO SEE: 12.8.2, 12.8.4, 12.8.7)

- 12.8.4 The lands thirdly described in Schedule "B" of By-law 7919 shall be exempted from the requirements for *FRONT YARD* to the extent that the *BUILDING* may be constructed thereon to within 1.829 metres of the front property line as shown in the site plan authorized by By-law 7918.
 - 2. The lands thirdly described in Schedule "B" of By-law 7919 shall be exempted from the requirements for *SIDE YARDS* to the extent that a *BUILDING* may be constructed as shown in the site plan authorized by By-law 7918.
 - 3. The lands thirdly described in Schedule "B" of By-law 7919 shall be exempted

from the requirements *for REAR YARD* to the extent that the *BUILDING* may be constructed as shown in the site plan authorized by By-law 7918.

(241 WEST MAIN STREET - ALSO SEE: 12.8.2, 12.8.3, 12.8.7)

12.8.5 Notwithstanding the provisions of By-law 2667, *LOTS* 232 and 233, according to Registered Plan 10, for the Township of Crowland, now in the City of Welland, now known as Plan 933, may be used as a Union Hall and/or *ASSEMBLY HALL*, subject to the provisions of Section 21.2.2. (By-law 6966)

(16 STEEL STREET - ALSO SEE: 21.3.4)

12.8.6 Notwithstanding the provisions of By-law 2667, *LOT* 241, according to Registered Plan 877, for the Township of Crowland, now in the City of Welland, now known as Plan 565, may be used for a parking *LOT*. **(By-law 6966)**

(LOT BETWEEN 9 AND 15 IRON STREET)

12.8.7 Notwithstanding the provisions of Section 12.1, the lands firstly and secondly described in Schedule "B" attached to By-law 7919 shall be given an exemption to allow the *USE* of the said lands for the purpose of off-*STREET* parking to be used in conjunction with the *FUNERAL HOME*.

(241 WEST MAIN STREET - ALSO SEE: 12.8.2, 12.8.3, 12.8.4)

- 12.8.8 1. Notwithstanding the provisions of Section 12, the lands described in Schedule "B" attached to By-law 8364, shall be given an exemption to allow the USE of the said lands for the purposes of eleven, multiple-attached, one-storey, DWELLING UNITS with nine of such units being located on the first floor and two of such units being located on the second floor.
 - 2. Notwithstanding the provisions of Section 12.5.4, the lands described in Schedule "B" attached to By-law 8364, shall be given an exemption to allow the *GROSS FLOOR AREA* per *DWELLING UNIT* to be in accordance with Section 14.5.4 of By-law 2667.

(20-22 KINGSWAY)

12.8.9 Notwithstanding the provisions of Section 12, the lands firstly and secondly described in Schedule "B" attached to By-law 8504 shall be used only for an *ATHLETIC/FITNESS CLUB*.

(370 HELLEMS AVENUE - ALSO SEE: 5.20.17)

- 12.8.10

 1. Notwithstanding the provisions of Section 12, the lands described in Schedule "B" attached to By-law 9566 shall be exempted from the requirements for the FRONTAGE from the required 21.0 metres to 10.06 metres;
 - 2. Notwithstanding the provisions of Section 12, the lands described in Schedule "B" attached to By-law 9566 shall be exempted from the requirements for the *REAR YARD* from the required 7.5 metres to 4.5 metres.

(138 THOROLD ROAD - ALSO SEE: 5.20.20)

12.8.11 Notwithstanding the provisions of Section 12, the lands described as "Firstly" in Schedule "B" attached to By-law 9638, shall be used only for the construction of fourteen (14) STREET TOWNHOUSES.

(819 - 845 CLARE AVENUE)

12.8.12 Deleted by By-law 10578.

12.8.13 RM3-X1 ZONE (By-law 10177) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2005-89)

LOT 1 and Part of LOTS 2, 9 and 10, Plan 614 shown on Schedule "A" of By-law 10177 as "Change to H-RM3-X1 ZONE" is hereby rezoned H-RM3-X1 ZONE.

The USES permitted in the RM3-X1 ZONE shall be a maximum of four (4) STREET TOWNHOUSES.

The ZONE Provisions for the RM3-X1 ZONE shall be as follows:

REGULATIONS FOR A STREET	REGULATIONS FOR EACH
TOWNHOUSE	DWELLING UNIT OF A STRE

UNIT OF A STREET **TOWNHOUSE**

LOT FRONTAGE:

Minimum 33 metres	Interior Unit	Minimum metres	6.0
	East End Unit	Minimum metres	12.0
	West End Unit	Minimum metres	9.0

LOT AREA:

Minimum 696 square metres Minimum 232 square metres

YARD Requirements:

FRONT YARD:

Minimum 12 metres Minimum 12 metres

REAR YARD:

Minimum 15.2 metres Minimum 15.2 metres

SIDE YARD:

East side Minimum 6.0 metres Minimum 6.0 metres

West Side Minimum 3.0 metres Minimum 3.0 metres

Interior Units - nil either side

(29, 31, 31 1/2 AND 33 THOROLD ROAD))

12.8.14 <u>RM3-X2 ZONE</u> (By-law 10178) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 10253)

Part of *LOT* 89, Plan 550 known municipally as 360 Niagara Street, shown on Schedule "A" of By-law 10178 as "change to H-RM3-X2 *ZONE*" is hereby rezoned H-RM3-X2 *ZONE*.

The USES permitted in the RM3-X2 ZONE shall be a TRIPLEX.

Prior to the lifting of the holding symbol (H) the only *USE* permitted will be the *EXISTING DUPLEX*.

The ZONE Provisions for the RM3-X2 ZONE shall be as follows:

LOT FRONTAGE:

Minimum 13.4 metres

LOT AREA:

Minimum 595 square metres

YARD Requirements:

FRONT YARD Minimum 3.5 metres

REAR YARD Minimum 7.5 metres

SIDE YARD Minimum one side 1.2

metres

Minimum other side 2.4

metres

GROSS FLOOR AREA Per DWELLING UNIT:

Minimum - 65 square metres

LOT COVERAGE:

Maximum - 40 percent

Driveway Access:

Minimum width - 3.8 metres

(360 NIAGARA STREET)

12.8.15 <u>RM3-X3 ZONE</u> (By-law 10642) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2000-45)

- 1. That Part of *LOT* 236, former Township of Thorold, now in the City of Welland (Part 2, Plan 59R-5056), shown on Schedule "A" attached to By-law 10642 amended as "Change to H-RM3-X3 *ZONE*" is hereby rezoned H-RM3-X3 *ZONE*.
- 2. The *USES* permitted in the RM3-X3 *ZONE* shall be limited to a six (6) unit cluster type *TOWNHOUSE* complex.
- 3. The provisions of the RM3-X3 *ZONE* shall be as follows:

Minimum LOT FRONTAGE 45 metres

Minimum LOT AREA 2,000 square metres

Minimum FRONT YARD 6 metres

Minimum REAR YARD 7.5 metres

Minimum South SIDE YARD 7.5 metres

Minimum North SIDE YARD 2 metres

Minimum LANDSCAPED OPEN SPACE 40 percent

Maximum LOT COVERAGE 40 percent

Minimum GROUND FLOOR AREA Per Unit 40 square metres

Minimum GROSS FLOOR AREA Per Unit 65 square metres

Maximum BUILDING HEIGHT 10.5 metres

Parking Requirements 1.5 spaces per unit

(810 CLARE AVENUE)

12.8.16 RM3-X4 ZONE (By-law 10574)

Part of *LOT* 224, former Township of Thorold, now in the City of Welland, located north of Quaker Road, west of Towpath Road and shown on Schedule "A" of By-law 10574 as "Change to RM3-X4 *ZONE*" is hereby rezoned RM3-X4 *ZONE*.

The *USES* permitted and the provisions for the RM3-X4 *ZONE* shall be those permitted and provided for in the Multiple *DWELLING*- Third Density Zone (RM3) save and except as follows:

Notwithstanding any other Section of Zoning By-law 2667, as amended, no *PERSON* shall *ERECT* any *BUILDING* or tennis courts, gazebos, sheds, *ACCESSORY BUILDINGS* or fences on any portion of any property within a setback of 7.0 metres from the easterly rear property line.

(PART OF TOWPATH VILLAGE SUBDIVISION - 78-104 BRITANNIA AVENUE)

12.8.17 RM3-X5 ZONE (By-law 10574, 11003 and 2016-130)

Part of *LOT* 224, former Township of Thorold, now in the City of Welland, Lot 6, Plan 59M-230 located north of Quaker Road, west of Towpath Road and shown on Schedule "A" of By-law 10574 as "Change to RM3-X5 *ZONE*" is hereby rezoned RM3-X5 *ZONE*.

The *USES* permitted and the provisions for the RM3-X5 *ZONE* shall be those permitted and provided for in the Multiple *DWELLING*- Third Density *ZONE* (RM3) save and except as follows:

 That the provisions of the RM3-X5 ZONE shall be those provided for in the RM3 ZONE

Minimum FRONT YARD Setback 5 metres

Maximum LOT COVERAGE 50%

Minimum REAR YARD Setback 4 metres (ACCESSORY STRUCTURES, including but not limited to: pools, DECKS, stairs, railings, hot tubs and sheds, subject to Niagara Peninsula Conservation Authority Approval)

To allow for the construction of a fence along (By-law 2016-130) the REAR and SIDE LOT LINES.

2. The minimum *EXTERIOR SIDE YARD* requirements for *SEMI-DETACHED BUILDINGS* will be 1.5 metres subject to the requirements of Section 6.3 of By-law 2667, as amended. **(By-law 11003)**

(PART OF TOWPATH VILLAGE SUBDIVISION - 2-10 (EVEN) GRETEL PLACE) (6 GRETEL PLACE) (By-law 2016-130)

12.8.18 RM3-X6 ZONE (By-law 10700 and 10836)

- Part of LOT 224, former Township of Thorold, now in the City of Welland located north of Quaker Road, west of Towpath Road and shown on Schedule "A" of By-law 10700 and By-law 10836 as "Change to RM3-X6 ZONE" is hereby rezoned RM3-X6 ZONE.
- 2. The *USES* permitted in and the provisions for the RM3-X6 *ZONE* shall be those permitted in and provided for in the Multiple DWELLING- Third Density *ZONE* (RM3) save and except as follows:

REGULATIONS	FOR	Α	REGU	LATION	NS .	FOR
STREET TOWNH	OUSE		EACH	DWEL	LING	UNIT
			OF	Α	STF	REET
			TOWN	IHOUS	Ξ	

Minimum LOT 27 metres End Unit - 10.2 metres

FRONTAGE

Minimum LOT AREA 696 square metres 225 square metres

SIDE YARD Minimum 3.0 metres except Minimum End Units - 3.0

where a STREET TOWNHOUSE BUILDING flanks an O1 Zone where the minimum shall be 4.5 metres

STREET metres except where an UILDING end unit flanks an O1 vhere the Zone where the minimum shall be 4.5 metres

Interior Units - nil either

side

Maximum COVERAGE

LOT 45 percent

50 percent

(PART OF TOWPATH VILLAGE SUBDIVISION - 21-221 (ODD) ST. LAWRENCE DRIVE)

12.8.19 RM3-X7 ZONE (By-law 10700, 10836, 11003 AND 2001-31)

- Part of LOT 224, former Township of Thorold, now in the City of Welland, located north of Quaker Road, west of Towpath Road and shown on Schedule "A" of By-laws 10700, 10836, 11003 and 2001-31 as "Change to RM3-X7 ZONE" is hereby rezoned RM3-X7 ZONE.
- 2. The *USES* permitted in and the provisions for the RM3-X7 ZONE shall be those permitted in and provided for in the Multiple *DWELLING* Third Density *ZONE* (RM3) save and except as follows:

REGULATIONS FOR A REGULATIONS FOR STREET TOWNHOUSE EACH DWELLING UNIT OF A STREET TOWNHOUSE

Minimum LOT 27 metres FRONTAGE

End Unit - 10.2 metres

Minimum LOT AREA

696 square metres

225 square metres

SIDE YARD

Minimum 3.0 metres except where a STREET TOWNHOUSE BUILDING flanks a STREET or a USE other than a STREET TOWNHOUSE, where the minimum shall be 4.5 metres

Minimum End Units - 3.0 metres except where an end unit flanks a STREET or a USE other than a STREET TOWNHOUSE, where the minimum shall be 4.5 metres

Interior Units - nil either

side

Maximum COVERAGE

LOT 45 percent

50 percent

REGULATIONS FOR SEMI-DETACHED DWELLING

REGULATIONS FOR EACH DWELLING UNIT OF SEMI-DETACHED DWELLING

SIDE YARD Minimum Exterior Minimum Exterior 1.5

1.5 metres metres

LOT AREA Minimum 576 Minimum 288 square

square metres (By- metres

law 11003)

(PART OF TOWPATH VILLAGE SUBDIVISION - 983-1067 (ODD) HANSLER ROAD)

12.8.20 RM3-X8 ZONE (By-law 10836)

1. Part of *LOT* 224, former Township of Thorold, now in the City of Welland, located north of Quaker Road, west of Towpath Road and shown on Schedule "A" of By-law 10836 as "Change to RM3-X8 *ZONE*" is hereby rezoned RM3-X8 *ZONE*;

2. The *USES* permitted in and the provisions for the RM3-X8 *ZONE* shall be those permitted in and provided for in the Multiple *DWELLING*- Third Density *ZONE* (RM3) save and except as follows:

REGULATIONS FOR A REGULATIONS FOR STREET TOWNHOUSE EACH DWELLING UNIT OF A STREET TOWNHOUSE

Minimum LOT 27 metres End Unit - 10.2 metres

FRONTAGE

Minimum LOT AREA 696 square metres 225 square metres

Maximum LOT 45 percent 50 percent

COVERAGE

(PART OF TOWPATH VILLAGE SUBDIVISION - 247-545 (ODD) ST. LAWRENCE DRIVE)

12.8.21 RM3-X9 ZONE (By-law 10965)

- 1. That Part of *LOT* 26, Concession 6, former Township of Crowland, now in the City of Welland more particularly described as Part 2, Plan 59R-6691 and as shown on Schedule "A" of By-law 10965 as "Change to RM3-X9 *ZONE*" is hereby rezoned RM3-X9 *ZONE*.
- 2. The USE permitted in the RM3-X9 ZONE shall be a TRIPLEX.
- 3. The provisions for the RM3-X9 ZONE shall be those provided for in the Multiple *DWELLING* Third Density *ZONE* (RM3) for a *TRIPLEX* save and except as follows:

Minimum LOT FRONTAGE 15.2 metres

Minimum LOT AREA 436 square metres

Minimum LANDSCAPED OPEN SPACE 40 percent of LOT AREA

Notwithstanding Sections 5.20.4.1 and 5.20.24 - Off-STREET Parking Requirements, required parking is permitted in the FRONT YARD and the minimum requirement for parking spaces is four (4).

(33 CANAL BANK STREET)

12.8.22 <u>RM3-X10 ZONE</u> (By-law 10987) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 11093)

- 1. That the easterly 43.56 metres of Part 5, Plan 59R-5331 being Part of *LOT* 246, former Township of Thorold, now in the City of Welland, known municipally as 660 South Pelham Road and shown on Schedule "A" of By-law 10987 as "Change to H-RM3-X10 *ZONE*" is hereby rezoned H-RM3-X10 *ZONE*.
- 2. The *USES* permitted in the RM3-X10 *ZONE* shall be limited to a maximum of eight (8) *TOWNHOUSES*.
- 3. The provisions for the RM3-X10 *ZONE* shall be as follows:

Minimum LOT FRONTAGE	0 metres
Minimum LOT AREA	2,840 square metres
Minimum North YARD Setback	7.5 metres
Minimum East YARD Setback	3.0 metres
Minimum South YARD Setback	7.5 metres
Minimum West YARD Setback	3.0 metres
Minimum LANDSCAPED OPEN SPACE	40 percent
Maximum LOT COVERAGE	40 percent
Minimum GROSS FLOOR AREA Per Unit	65 square metres

- 4. That notwithstanding any other Section of Zoning By-law 2667:
 - (a) The subject lands may exist as a LOT without FRONTAGE on a STREET;
 - (b) A *BUILDING*(s) or *STRUCTURE*(s) may be erected and used on the subject lands;
 - (c) Access to the subject lands will be by way of a permanent easement over the adjoining lands to the west;
 - (d) A total of one (1) PARKING SPACE per DWELLING UNIT shall be provided on the subject lands with an additional minimum of four (4) PARKING SPACES being provided, through a long term lease, on the

adjacent property to the west.

(e) A closed board fence shall not be required between the subject lands and the lands to the west as a buffer for the parking area.

(658 SOUTH PELHAM ROAD)

12.8.23 <u>RM3-X11 ZONE</u> (By-law 11232) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 1999-111) (By-law 2000-67) (By-law 2003-85)

- 1. That Part of Parts 1 and 2, Plan 59R-9399 and shown on Schedule "A" of Bylaw 11232 as "Change to H-RM3-X11 ZONE" is hereby rezoned H-RM3-X11 ZONE.
- 2. The *USES* permitted in the H-RM3-X11 *ZONE* shall be those <u>residential</u> *USES* permitted in the RM3 *ZONE*.
- 3. Notwithstanding Sections 5.2 and 5.20 of By-law 2667, the provisions for the H-RM3-X11 *ZONE* shall be those provided for in the RM3 *ZONE*. The provisions of Sections 5.2 and 5.20 of By-law 2667 shall apply save and accept references to *STREET* shall be read as private streets.
- 4. The provisions for the RM3-X11 *ZONE* shall be those provided for in the RM3 ZONE save and except as follows:
 - (i) The maximum LOT COVERAGE for interior TOWNHOUSE UNITS shall be 55% and the maximum LOT COVERAGE the whole of a TOWNHOUSE BLOCK shall be 45%;
- 5. Notwithstanding Section 5.7 Encroachments of By-law 2667 a privacy screen/wall with foundation may protrude a maximum of 2 metres into the required 7.5 metre *REAR YARD* in the RM3-X11 ZONE.

(SOUTH SIDE MORRIS TRAIL, LOTS 18-29, 54-83, PLAN 59M-269, ST. ANDREWS TERRACE SUBDIVISION)

12.8.24 <u>RM3-X12 ZONE</u> (By-law 2000-35)

- That Part of LOT 229, former Township of Thorold, now in the City of Welland located east of Lancaster Drive, south of Jefferson Court East and shown on Schedule "A" of By-law 2000-35 as "Change to RM3-X12 ZONE" is hereby rezoned RM3-X12 ZONE.
- The USES permitted in the RM3-X12 ZONE shall be those permitted in the RM3 ZONE.
- 3. The provisions for the RM3-X12 ZONE shall be those provided for in the RM3 ZONE save and except as follows:

REGULATIONS FOR A STREET REGULATIONS FOR EACH TOWNHOUSE DWELLING UNIT OF A STREET TOWNHOUSE

SIDE YARD

STREET TOWNHOUSE building flanks a except where an end UNIT flanks a street where the minimum shall be 4.5 STREET where the minimum shall be metres

Minimum 3.0 metres except where a Minimum End UNITS - 3.0 metres 4.5 metres

Maximum LOT COVERAGE

50 percent

(EAST OF LANCASTER DRIVE, SOUTH OF JEFFERSON COURT EAST)

12.8.25 RM3-X13 ZONE (By-law 2000-35)

- 1. That Part of LOT 229, former Township of Thorold, now in the City of Welland located east of Lancaster Drive, south of Jefferson Court East and shown on Schedule "A" of By-law 2000-35 as "Change to RM3-X13 ZONE" is hereby rezoned RM3-X13 ZONE.
- 2. The Uses permitted in the RM3-X13 ZONE shall be restricted to a SINGLE-DETACHED DWELLING, a SEMI-DETACHED DWELLING or a STREET TOWNHOUSE.
- The provisions for the RM3-X13 ZONE shall be those provided for in the RM3 3. ZONE save and except as follows:

REGULATIONS FOR FOR Α STREET REGULATIONS **EACH TOWNHOUSE** DWELLING UNIT OF A STREET **TOWNHOUSE**

SIDE YARD

Minimum West - 7.0 metres Minimum West Exterior - 7.0 metres

Minimum East - 3.0 metres Minimum East Exterior - 3.0 metres

Maximum LOT COVERAGE 50 percent

(EAST OF LANCASTER DRIVE, SOUTH OF JEFFERSON COURT EAST)

12.8.26 RM3-X14 ZONE (By-law 2001-32)

- 1. That Part of LOT 3, N.T. Fitch Plan, Plan 554 known municipally as 284 Niagara Street and shown on Schedule "A" attached to By-law 2001-32 as "Change to RM3-X14 ZONE" is hereby rezoned RM3-X14 ZONE.
- 2. The USES permitted in the RM3-X14 ZONE shall be those permitted in the RM3 ZONE.
- 3. The provisions for the RM3-X14 ZONE shall be those provided for in the RM3 ZONE save and except as follows:

FOURPLEX

Minimum LOT FRONTAGE

17 metres

Minimum LOT AREA 530 square metres

Minimum FRONT YARD Setback 6.0 metres

Minimum REAR YARD Setback 7.5 metres

Minimum North SIDE YARD Setback 2.4 metres

Minimum South SIDE YARD Setback 0.8 metres

Maximum LOT COVERAGE 40%

4. Notwithstanding Section 5.3 (c) (i) of By-law 2667, the minimum south *SIDE YARD* setback for the existing *ACCESSORY BUILDING* (garage) shall be 0.8 metres.

5. Notwithstanding Section 5.20.24 (15) of By-law 2667, the existing *FOURPLEX* shall have a minimum of 4 required *PARKING SPACES*.

(284 NIAGARA STREET

12.8.27 RM3-X15 ZONE (By-law 2001-33)

- 1. That Part of *LOT* 18, Plans 549 and 550 known municipally a 35 Elgin Street and shown on Schedule "A" attached to By-law 2001-33 as "Change to RM3-X15 *ZONE*" is hereby rezoned RM3-X15 *ZONE*.
- The USES permitted in the RM3-X15 ZONE shall be those permitted in the RM3 ZONE.
- 3. The provisions for the RM3-X15 ZONE shall be those provided for in the RM3 *ZONE* save and except as follows:

TRIPLEX

Minimum LOT FRONTAGE 20.0 metres

Minimum LOT AREA 415 square metres

Minimum FRONT YARD Setback 1.6 metres

Minimum REAR YARD Setback 7.5 metres

Minimum East SIDE YARD Setback 2.4 metres

Minimum West SIDE YARD Setback 0.4 metres

Maximum LOT COVERAGE 40%

- 4. Notwithstanding Section 5.3 (c) (i) of By-law 2667, the minimum south *SIDE YARD* setback for the existing *ACCESSORY BUILDING* shall be 0.3 metres.
- 5. Notwithstanding Section 5.20.24 (15) of By-law 2667, the existing TRIPLEX

shall have a minimum of 2 required PARKING SPACES.

(35 ELGIN STREET)

12.8.28 <u>H-RM3-X16 ZONE</u> (By-law 2004-21 deleted and replaced by By-law 2007-64) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2008-163)

- 1. That Block 150, 59M-269 shown on Schedule "A" attached hereto to By-law 2007-64 as "Change to H-RM3-X16 ZONE" is hereby Rezoned H-RM3-X16 ZONE.
- The USES permitted in the H-RM3-X16 ZONE shall be SINGLE-DETACHED DWELLINGS and a FREEHOLD TRIPLEX.
- 3. The provisions for the H-RM3-X16 ZONE for SINGLE-DETACHED DWELLINGS shall be those provided in the RM3 ZONE, save and except as follows:

YARD Requirements:

FRONT YARD 4.5 metres to DWELLING

UNIT

6.0 metres to attached

garage

SIDE YARD 1.25 metres

LOT COVERAGE: Maximum 50%

Porches shall be excluded from the calculation of *LOT*

COVERAGE;

4. The provisions for the H-RM3-X16 ZONE for each DWELLING UNIT of a FREEHOLD TRIPLEX shall be those provided for in the RM3 ZONE, save and except as follows:

YARD Requirements:

FRONT YARD 4.5 metres to DWELLING

UNIT

6.0 metres to attached

garage

LOT COVERAGE: Maximum 50%

Porches shall be excluded from the calculation of *LOT*

COVERAGE;

5. The provisions of Sections 5.2 and 5.20 of By-law 2667, as amended, shall apply save and except references to *STREET* shall be read as private

STREETS for properties accessed via Perth Trail.

- 6. Notwithstanding Section 5.7 of By-law 2667, as amended, porches are permitted to encroach a maximum of 1.8 metres into the *FRONT YARD* for *SINGLE-DETACHED DWELLINGS* and *FREEHOLD TRIPLEX UNITS*. In the case of *CORNER LOTS*, such encroachment of the porch is not permitted.
- 7. Notwithstanding Section 5.7 of By-law 2667, as amended, covered or uncovered steps/stairs that are used to provide access from the ground to the porch, permitted as an encroachment, shall be located no closer than 1.0 metre from the FRONT LOT LINE on all lots except CORNER LOTS. In the case of CORNER LOTS, no encroachment of covered or uncovered steps/stairs is permitted.
- 8. Until such time as the Holding Symbol (H) is removed, the only *USES* permitted shall be Model Homes, the type and location of which are shown in the executed Model Home Agreement.
- 9. That "Model Home", for the purposes of this By-law, shall be defined as follows:

"Model Home – A *SINGLE-DETACHED* or block *DWELLING UNIT* not provided with municipal water and sewer services and not occupied as a *DWELLING* to be used in the interim for the sole purposes of marketing, display, promotion and the sale of residential *UNITS*".

- Notwithstanding Section 2.80 of By-law 2667, as amended, where a Model Home Agreement has been executed by the City and the Owner, Building Permits may be issued on the basis of the proposed LOTS/BLOCKS and YARD setbacks in accordance and as identified in said Agreement. In such instances, the proposed LOT and DWELLING shall not be conveyed by way of deed or transfer prior to servicing the BUILDING for which the permit was issued.
- 11. Notwithstanding Section 6.1 of By-law 2667, as amended, in the H-RM3-X16 *ZONE*, where a Model Home Agreement has been executed by the City and the Owner, a maximum of five (5) single Model Homes and one (1) *FREEHOLD TRIPLEX* Model Home can be constructed.

(NORTH OF DAIMLER PARKWAY, EAST OF PERTH TRAIL)

- 12.8.29

 H-RM3-X17 ZONE (By-law 2005-169, 2007-39, 2007-106 and 2007-170) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2007-95, 2007-97 AND 2010-172 FOR PLAN 59M-359 (WEBBER ESTATES) AND PLAN 59M-380 (BLUE RIVER ESTATES PHASE 2) HOLDING SYMBOL "H" PARTIALLY REMOVED BY BY-LAW 2012-98 BLOCKS 91 AND 92, PLAN 59M-392; HOLDING SYMBOL "H" PARTIALLY REMOVED BY BY-LAW 2014-100 LOTS 20 TO 30, BLOCKS 89 AND 90, PLAN 59M-392 (CLARE ESTATES 3) HOLDING SYMBOL "H" PARTIALLY REMOVED BY BY-LAW 2016-28 LOTS 31 TO 79, BLOCKS 86, 87 AND 88, PLAN 59M-392 (CLARE ESTATES 3) NOTE: HOLDING SYMBOL STILL ON CLARE ESTATES SUBDIVISION
 - That Part of LOT 257, Part of LOTS 256 and Broken Front Lot 256, part of the Road Allowance between Lots 256 and Broken Front LOT 256, part of LOT 258, former Township of Thorold, now in the City of Welland located south of Webber Road, east of Clare Avenue and shown on Schedule "A" attached to

By-law 2005-169, By-law 2007-106 and By-law 2007-170 as "Change to H-RM3-X17 ZONE" is hereby rezoned H-RM3-X17 ZONE.

- 2. The *USES* permitted in the H-RM3-X17 *ZONE* shall be limited to *TOWNHOUSES*. (**By-law 2007-39**)
- 3. The *ZONE* provisions for the H-RM3-X17 *ZONE* shall be those provided for in the RM3 *ZONE* save and except as follows:

	REGULATIONS FOR A STREET TOWNHOUSE	REGULATIONS FOR EACH DWELLING UNIT OF A STREET TOWNHOUSE
Minimum LOT FRONTAGE (By-law 2007-39)	27 metres	Interior Unit – 6.0 metres End Corner Unit – 9.0 metres End Interior Unit – 7.5 metres
Minimum LOT AREA	928 square metres	210 square metres
Minimum FRONT YARD (By-law 2007-39)	6.0 metres to attached garage 4.5 metres to DWELLING UNIT	6.0 metres to attached garage 4.5 metres to <i>DWELLING UNIT</i>
Minimum REAR YARD	7.5 metres	7.5 metres
Minimum SIDE YARD Setback (By-law 2007-39)	End Corner Unit- 3.0 metres End Interior Unit - 1.5 metres	End Corner Unit – 3.0 metres End Interior Unit – 1.5 metres Interior Unit – 1.0 metres Common Wall – 0 metres
Maximum LOT COVERAGE (By-law 2007-39)	45% per Block	50% per Unit

- 4. Prior to the removal of the Holding Symbol, the only *USES* permitted shall be crop farming and the current vacant *USE*.
- Notwithstanding Section 2.80 of By-law 2667, as amended, where the City has passed a By-law lifting Part Lot Control, a Building Permit may be issued on the basis of the proposed LOT, and not necessarily the LOT that exists at the time of permit issuance. In such instances, the proposed lot shall be conveyed by way of deed or transfer prior to occupancy of the BUILDING for which the permit was issued. (By-law 2007-39)
- 6. Until such time as the Holding Symbol (H) is removed the only *USES* permitted shall be Model Homes in accordance with the Subdivider's Agreement. (By-law 2007-106)

(WEBBER ESTATES SUBDIVISION, BLUE RIVER SUBDIVISION AND CLARE ESTATES SUBDIVISION)

12.8.30 RM3-X18 ZONE (By-law 2006-46)

- That Part of LOT 257, former Township of Thorold, now in the City of 1. Welland known municipally as 407 Fitch Street and shown on Schedule "A" attached to By-law 2006-46 as "Change to RM3-X18 ZONE" is hereby rezoned to RM3-X18 ZONE.
- 2. The USES permitted in the RM3-X18 ZONE shall be limited to a SINGLE-DETACHED DWELLING, a SEMI-DETACHED DWELLING, a DUPLEX, a TRIPLEX, a FREEHOLD TRIPLEX and a BED AND BREAKFAST.
- The provisions of the RM3-X18 ZONE shall be those provided for in the RM3 3. ZONE.

(407 FITCH STREET)

12.8.31 H-RM3-X19 ZONE (By-law 2006-137)

- That part of LOT 29 and 30, Concession 6, in the City of Welland, 1. municipally known as 290 Riverside Drive and shown on Schedule "A" attached to By-law 2006-137 as "Change to H-RM3-X19 ZONE" is hereby rezoned H-RM3-X19 ZONE.
- The Uses permitted in the H-RM3-X19 ZONE shall be STREET 2. TOWNHOUSES and BUILDINGS, STRUCTURES and uses accessory thereto.
- 3. The provisions for the H-RM3-X19 ZONE shall be as follows:

REGULATIONS FOR A REGULATIONS FOR EACH DWELLING STREET TOWNHOUSE **UNIT OF A STREET TOWNHOUSE**

Minimum LOT 30.0 metres Interior Unit FRONTAGE minimum 6.0 metres End Unit – Minimum 9.0 metres

Minimum LOT AREA 928.0 square metres 232.0 square metres

Minimum FRONT 6.0 metres from the front 6.0 Metres from the YARD of the BUILDING, except where there is an attached garage. When there is an attached garage the setback requirement will be 5.0 metres from the front of the BUILDING and 6.0 metres for the attached garage

front of the BUILDING, except where there is an attached garage. When there is an attached garage the setback requirement will be 5.0 metres from the front of the BUILDING and 6.0 the metres for attached garage

Minimum REAR YARD 7.5 metres 7.5 metres

Minimum SIDE YARD 3.0 metres Interior Unit -

Minimum 1.5 metres

End Unit – Minimum

3.0 metres

Maximum *LOT* 40% 40%

COVERAGE

(290 RIVERSIDE DRIVE)

12.8.32 Deleted by By-law 2013-105

12.8.33 <u>H-RM3-X21 ZONE</u> (By-law 2006-162)

- 1. That Part of *LOTS* 20 and 21 inclusive, part of road allowance between *LOTS* 20 and 21, Concession 5, in former Township of Humberstone, now the City of Welland, being part of Parts 1 to 3 inclusive, Plan 59R-12698 and shown on Schedule "A" attached to By-law 2006-162 hereto as "Change to H-RM3-X21 *ZONE*" is hereby rezoned H-RM3-X21 *ZONE*.
- That the USES permitted in the H-RM3-X21 ZONE shall be as follows: SINGLE-DETACHED DWELLING, SEMI-DETACHED DWELLING, STREET TOWNHOUSES as set out in the Zoning Provisions Table forming part of this By-law.
- 3. The provisions of the H-RM3-X21 *ZONE* shall be those provided in the attached Zoning Provisions Table:

					ZONING PROVISI	ONS TABLE					
ZONE	PERMITTED USES	ITTED USES MINIMUM LOT REQUIREMENTS		MINIMUM YARDS (M)				MINIMUM	MAXIMUM		
		FRONTAGE (M)	AREA (M²)	LANDSCAPED OPEN SPACE	FRO	NT	SIDE REAR		REAR	DWELLING BUILDING FLOOR AREA HEIGHT (PER UNIT)	
					TO GARAGE	TO UNIT	INTERIOR	EXTERIOR			
H-RM3-X21	Single-detached dwellings with attached garage in front	11.25	337	25%	6.0	4.5	1.2	3.0	7.5	104.5	12.5
H-RM3-X21	Single-detached dwellings with attached garage in rear	11.25	337	25%	n/a	3.0	0.6	3.0 to building 6.0 to garage	7.5 0.6 to attached garage on corner lot	104.5	12.5
H-RM3-X21	Single-detached dwellings with attached garage accessed via laneway	7.95	238	25%	n/a	3.0	0.6	2.4 to laneway 3.0 to street	1.0 0.6 to attached garage on lane flankage corner lot	104.5	12.5
H-RM3-X21	Semi-detached dwellings with attached garage accessed via street	20.0 (10.0 per unit)	600 (300 per unit)	25%	6.0	4.5	Common Wall - 0 1.2 (other than common wall)	3.0 to building 6.0 to garage	7.5 0.6 to attached garage on corner lot (exterior unit)	104.5	12.5
H-RM3-X21	Semi-detached dwellings with attached garage accessed via laneway	14.6 (7.3 per unit)	438 (219 per unit)	25%	n/a	3.0	Common Wall - 0 0.6 (other than common wall)	2.4 adjacent to laneway 3.0 adjacent to street	1.0 to laneway 0.6 to attached garage on corner lot	104.5	12.5
H-RM3-X21	Townhouse Units with attached garage in front	6.75	202 (per unit)	25%	6.0	4.5	Common Wall - 0 End Unit - 1.2	3.0 to building	7.5	104.5	12.5
H-RM3-X21	Exterior Townhouse Units with attached garage in rear (corner lot) accessed via street	6.75	202 (per unit)	25%	n/a	3.0	Common Wall – 0	3.0 to building 6.0 to garage	0.6 to attached garage on corner lot (exterior unit)	104.5	12.5
H-RM3-X21	Townhouse Units with garage accessed via laneway	6.75	202 (per unit)	20%	n/a	3.0	Common Wall - 0 0.75 (other than common wall) End Unit - 1.2	3.0	1.0 to attached garage accessed via laneway	104.5	12.5
H-RM3-X21	Exterior Townhouse Units (lane flankage) with attached garage in rear (corner lot) accessed via laneway	6.75	202 (per unit)	25%	n/a	3.0	Common Wall – 0	2.4 to building 4.2 to garage	0.6 to attached garage on corner lot (exterior unit)	104.5	12.5

4. The number of *DWELLING UNITS* per *BLOCK* as shown on Schedule "B" to this By-law shall be as follows:

<i>BLOCK</i> NO.(DRAFT PLAN)	<i>BLOCK</i> NO.(REGSITERED PLAN)	MINIMUM NO. OF UNITS	MAXIMUM NO. OF UNITS
1		20	26
2		19	25
3		5	9
4		9	13
5		15	21
6		12	18
7		11	17
8		7	10
9		8	12
10		7	8
11		7	8
14		7	11
15		18	21
16		20	26
17		13	15
18		14	16
22		6	8
23		6	8
24		4	6
25		5	7
26		3	5
27		18	22
31		6	8
32		6	8
33		5	8
34		6	8
35		3	5
39		6	8
40		6	8
41		6	8
42		6	9
43		6	7
48		6	8
49		6	10
50		8	12
51		6	7

BLOCK NO.(DRAFT PLAN)	<i>BLOCK</i> NO.(REGSITERED PLAN)	MINIMUM NO. OF UNITS	MAXIMUM NO. OF UNITS
57		6	8
58		6	8
59		3	5
60		3	5
61		5	8
62		5	8
63		3	5
64		19	25
70		6	8
71		6	8
72		3	5
73		3	5
74		7	10
75		8	11
76		3	5
82		6	9
83		6	9
84		3	5
85		3	5
86		8	12
87		9	13
88		3	5
91		28	38

5. All other general provisions of By-law 2667, as amended, shall apply save and except the following:

Notwithstanding Sections 2, 5 and 6 of By-law 2667, as amended, references to *STREET* therein shall include laneways assumed for public *USE*;

Notwithstanding Section 5.3(c) and Schedule "E" of By-law 2667, as amended, ACCESSORY BUILDINGS OR STRUCTURES shall be located in the REAR YARD and shall be at least 0.6 metres from the nearest LOT LINE. ACCESSORY BUILDINGS greater than 10 square metres in area also shall be located at least 0.6 metres from any main BUILDING;

Notwithstanding Section 5.3(d) of By-law 2667, as amended, the total *LOT COVERAGE* of all *ACCESSORY BUILDINGS AND STRUCTURES* on a *LOT* shall not exceed 75% of the *FOOTPRINT* of the main *BUILDING*. This does not apply to *DECKS* or open air swimming pools. In all cases, the minimum percentage of *LANDSCAPED OPEN SPACE* identified on the Zoning Provisions Table forming part of this By-law shall prevail;

Notwithstanding Section 5.7 of By-law 2667, as amended, projections such as eaves, bay windows (without *FLOOR AREA*), sills, gutters, chimneys, or pilasters not projecting more than: (i) 0.3 metres into any *REQUIRED YARD* in relation of the main *BUILDING* provided that such encroachments are permitted by the Ontario Building Code or other such legislation; (ii) 0.3 metres into any *REQUIRED YARD* for eaves, gutters in relation to *ACCESSORY BUILDINGS* and *STRUCTURES* are permitted;

Notwithstanding Section 5.7 of By-law 2667, as amended, roofed porches/platforms, having a maximum height of 4.5 metres and the stairs that are used to provide access to the porch/platform from the ground may encroach:

- a. into the REQUIRED FRONT YARD provided that no part of the roofed porch or stairs is located closer than 1.0 metre from the FRONT LOT LINE on all LOTS except CORNER LOTS. In the case of CORNER LOTS no part of the roofed porch/platform or stairs is permitted closer than 2.4 metres from the FRONT LOT LINE and exterior side LOT LINE;
- b. into the required interior SIDE YARD a distance of 0.2 metres if the required interior SIDE YARD is 0.6 metres; and,
- c. into the required interior SIDE YARD a distance equal to one-half (1/2) of the required INTERIOR SIDE YARD where the required SIDE YARD is greater than 0.6 metres.

Notwithstanding Section 5.7(d) of By-law 2667, as amended porches/platforms may exceed 75% of the width of the main *BUILDING*;

Notwithstanding Section 5.10 of By-law 2667, as amended, no main BUILDINGS shall exceed 12.5 metres in *BUILDING HEIGHT*:

Notwithstanding Section 5.20.1 of By-law 2667, as amended, each required *PARKING SPACE* shall be made accessible for ingress and egress by means of a hard surface driveway being a minimum of 2.7 metres in width to the *STREET* or laneway;

Notwithstanding Schedule "E", "E1" and "E2" and Section 6.3 (a) of By-law 2667, as amended, in the case of a *CORNER LOT*, the *FRONT YARD* setback only shall be measured from the shortest *FRONT LOT LINE* defined upon the establishment of the final *LOT LINES*;

- 6. Notwithstanding Section 6.3 (b) of By-law 2667, as amended, the minimum widths for exterior side yards set out in the Zoning Provisions Table forming part of this By-law shall prevail.
- 7. For the purposes of this By-law, the following definitions shall apply:

Privacy Yard – means a *YARD* adjoining an exterior wall of a *DWELLING UNIT*, clear and unobstructed by any public or joint pedestrian access or surface parking area, other than a private driveway for the *DWELLING UNIT*.

(DAIN CITY DEVELOPMENTS)

12.8.34 <u>RM3-X22 ZONE</u> (By-law 2007-143)

- 1. That *LOTS* 203 and 205, Plan 652 in the City of Welland, municipally known as 530 Thorold Road and shown on Schedule "A" attached to By-law 2007-143 as "Change to RM3-X22 *ZONE*" is hereby rezoned RM3-X22 *ZONE*.
- 2. The USES permitted in the RM3-X22 ZONE shall be:

SINGLE-DETACHED DWELLING

SEMI-DETACHED DWELLING

DUPLEX

TRIPLEX

FOURPLEX

GROUP HOME

BED AND BREAKFAST

USES ACCESSORY thereto:

3. The provisions for the RM3-X22 *ZONE* will be those provided for in the RM3 *ZONE* save and except as follows:

TRIPLEX, FOURPLEX

Minimum LOT FRONTAGE

18.89 metres

(530 THOROLD ROAD)

12.8.35 <u>H-RM3-X23 ZONE</u> (By-law 2007-34) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2008-109) (By-law 2009-33)

- 1. That *LOTS* 64 to 83 inclusive, Plan 59M-269, shown on Schedule "A" attached to By-law 2007-34 as "Change to H-RM3-X23 *ZONE*" are hereby rezoned H-RM3-X23 *ZONE*.
- 2. The uses permitted in the H-RM3-X23 ZONE shall be STREET TOWNHOUSES only.
- The maximum number of STREET TOWNHOUSES constructed on lands within the H-RM3-X23 ZONE shall be 28 units.
- 4. The provisions for the H-RM3-X23 *ZONE* shall be as follows:

Minimum FRONT YARD

4.5 metres to DWELLING UNIT

6.0 metres to attached garage

Minimum REAR YARD

7.0 metres

Minimum SIDE YARD

1.5 metres for end units adjacent to another block of STREET **TOWNHOUSES**

1.5 metres for interior units

0 metres - common wall

4.5 metres - CORNER LOT (end unit)

For DECKS in the REAR YARD. the SIDE YARD setback shall be 0.0 metres. A maximum 1.8 **SCREENING** metre hiah DEVICE. from measured GRADE. mav be located between DECKS in the REAR YARD (By-law 2009-33)

For PORCHES/roofed platforms in the FRONT YARD, the SIDE YARD setback shall be 0.0 metres (By-law 2009-33)

Maximum LOT COVERAGE

60% for DWELLING UNIT

Porches/roofed platforms shall be excluded from the calculation of LOT COVERAGE

- 5. The provisions of Sections 5.2 and 5.20 of By-law 2667, as amended, shall apply save and except references to STREET shall be read as private streets.
- Notwithstanding Section 5.7 of By-law 2667, as amended, porches/roofed 6. platforms are permitted to encroach a maximum of 1.8 metres into the FRONT YARD on 50% of the DWELLING UNITS only, with no more than two (2) DWELLING UNITS in a row being permitted such encroachment. In the case of CORNER LOTS, such encroachment of the porch/roofed platform is not permitted.
- 7. Notwithstanding Section 5.7 of By-law 2667, as amended, covered or uncovered steps/stairs that are used to provide access from the ground to the porch/roofed platform, permitted as an encroachment, shall be located no closer than 1.0 metre from the FRONT LOT LINE on all lots except CORNER LOTS. In the case of CORNER LOTS, no encroachment of covered or uncovered steps/stairs is permitted.
- 8. Notwithstanding Section 2.80 of By-law 2667, as amended, where the City has passed a By-law lifting Part Lot Control, a Building Permit may be issued on the basis of the proposed LOT, and not necessarily the LOT that exists at

the time of permit issuance. In such instances, the proposed *LOT* shall be conveyed by way of deed or transfer prior to occupancy of the *BUILDING* for which the permit was issued.

(GALLOWAY TRAIL, EAST OF PERTH TRAIL)

12.8.36 RM3-X24 ZONE (By-law 2008-136)

- 1. That *LOT* 978, Plan 960, known municipally as 114 Crowland Avenue and shown on Schedule "A" attached to By-law 2008-136 as "Change to RM3-X24 *ZONE*" is hereby rezoned RM3-X24 *ZONE*.
- 2. The USES permitted in the RM3-X24 ZONE shall be a SINGLE-DETACHED DWELLING, a SEMI-DETACHED DWELLING and a DUPLEX.
- 3. The provisions for the RM3-X24 ZONE shall be as follows:

For The EXISTING BUILDING (and any subsequent addition):

Minimum LOT FRONTAGE 9.0 metres

Minimum LOT AREA 330 square metres

Minimum FRONT YARD Setback 3.1 metres

Minimum REAR YARD Setback 7.5 metres

Minimum North SIDE YARD Setback 0.6 metres

Minimum South SIDE YARD Setback 0.0 metres

Maximum LOT COVERAGE 51%

For Any New BUILDING:

The requirements of the RM3 ZONE save and except as follows:

Minimum LOT FRONTAGE 9.0 metres

Minimum LOT AREA 330 square metres

4. Notwithstanding Section 5.20 of By-law 2667, as amended, there will be no requirement for on-site parking for a SINGLE-DETACHED DWELLING, a SEMI-DETACHED DWELLING or a DUPLEX for the EXISTING BUILDING. Should a new BUILDING be constructed, Section 5.20 will apply.

(114 CROWLAND AVENUE)

12.8.37 <u>H-RM3-X25 ZONE</u> (By-law 2007-159) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2012-143)

1. That Part of *LOTS* 462 through 465 and Part of closed Tanguay Street, Plan 953, former Township of Crowland, now in the City of Welland and shown on Schedule 'A' attached to By-law 2007-159 as "Change to H-RM3-X25 *ZONE*"

is hereby rezoned H-RM3-X25 ZONE.

- 2. That the USES permitted in the H-RM3-X25 ZONE shall be a FREEHOLD TRIPLEX and BUILDINGS, STRUCTURES and USES ACCESSORY thereto.
- 3. That the provisions of the H-RM3-X25 *ZONE* be those provided for in the RM3 *ZONE* for *FREEHOLD TRIPLEX* save and except as follows:

Regular For A FREEHOLD TRIPLEX

Regulation For Each DWELLING UNIT Of A FREEHOLD TRIPLEX

LOT COVERAGE

Maximum 50%

Maximum 50%

4. No *BUILDINGS* or *STRUCTURES* shall be permitted within the easterly 14.0 metres so long as the Ministry of Transportation has an identified future Highway 406 corridor.

(VANIER COURT SUBDIVISION – NORTH OF LINCOLN STREET AND EAST OF VANIER DRIVE)

12.8.38 <u>RM3-X26 ZONE</u> (By-law 2008-192)

- 1. That *LOT* 55 and Part of *LOT* 54, Plan 579, known municipally as 38 Patterson Avenue and shown on Schedule "A" attached to By-law 2008-192 as "Change to RM3-X26 *ZONE*" is hereby rezoned RM3-X26 *ZONE*.
- 2. The USES permitted in the RM3-X26 ZONE shall be a SINGLE-DETACHED DWELLING, a FRATERNAL ORGANIZATION;
- 3. The provisions of the RM3-X26 *ZONE* shall be those provided for in the RM3 *ZONE* save and except the following:

YARD Requirements

FRONT YARD

Minimum 5.5 metres

4. Notwithstanding Section 5.20 the minimum ingress or egress for two-way vehicular movement shall be 5.0 metres.

(38 PATTERSON AVENUE)

12.8.39 **RM3-X27 ZONE** (By-law 2009-139)

- 1. That *LOTS* 78 and 79 and Part *LOTS* 80 and 81, Plan 571 and shown on Schedule "A" attached to By-law 2009-139 as "Change to RM3-X27 *ZONE*" is hereby rezoned RM3-X27 *ZONE*.
- 2. That the permitted *USES* in the RM3-X27 *ZONE* shall be a *SINGLE-DETACHED DWELLING* and a *SEMI-DETACHED DWELLING*.
- 3. That the provisions of the RM3-X27 ZONE shall be those provided for in the

RM3 ZONE save and except as follows:

SINGLE-DETACHED DWELLING

LOT FRONTAGE Minimum 24 metres measured

along the south LOT LINE

North YARD Minimum 7.5 metres

South YARD Minimum 6.0 metres

East YARD Minimum 3.0 metres

West YARD Minimum 7.5 metres

SEMI-DETACHED DWELLING WITH MAIN ENTRANCE FACING SOUTH

REGULATIONS FOR A SEMI-DETACHED DWELLING

REGULATIONS FOR EACH
DWELLING UNIT OF A SEMIDETACHED DWELLING

LOT FRONTAGE - Minimum 18 metres measured along the south LOT LINE

Minimum 12 metres measured along the south LOT LINE for

westerly UNIT

Minimum 6 metres measured along the south lot line for

easterly unit

North YARD Minimum 7.5 metres

South YARD Minimum 6.0 metres

East YARD Minimum 3.0 metres

West YARD Minimum 1.5 metres

Common Wall 0 metres

SEMI-DETACHED DWELLING WITH MAIN ENTRANCE FACING EAST

REGULATIONS FOR A SEMI-DETACHED DWELLING

REGULATIONS FOR EACH
DWELLING UNIT OF A SEMIDETACHED DWELLING

LOT FRONTAGE – Minimum 10 metres measured along the south LOT LINE

Minimum 10 metres measured along the south LOT LINE for

southerly *UNIT*

STREET Frontage - 0 metres

for northerly UNIT

North YARD Minimum 1.5 metres

South YARD Minimum 5.0 metres

East YARD Minimum 3.0 metres

West YARD Minimum 7.5 metres

Common Wall 0 metres

4. Access for the northerly *UNIT* must be through a permanent Easement/Right-of-Way over the southerly *UNIT*.

5. Notwithstanding Section 5.7 Encroachments, a *PORCH* and *BALCONY* may project 1.5 metres in the east *YARD*.

(NORTH SIDE OF MCCORMICK STREET, WEST OF WELLAND RECREATIONAL WATERWAY)

12.8.40 <u>H-RM3-X28 ZONE</u> (By-law 2009-90) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2010-6)

- 1. That Part of Lot 28, Concession 6, former Township of Crowland, now in the City of Welland and shown on Schedule "A" attached to By-law 2009-90 as "Change to H-RM3-X28 ZONE" is hereby rezoned H-RM3-X28 ZONE.
- 2. That the uses permitted in the H-RM3-X28 ZONE shall be TRIPLEX and TOWNHOUSE.
- 3. That the provisions of the H-RM3-X28 *ZONE* shall be as follows:

TRIPLEX/TOWNHOUSE LOT

LOT FRONTAGE 155 metres

LOT AREA 1.5 hectares

Maximum LOT COVERAGE 40%

UNIT LOT LINE to TRIPLEX/TOWNHOUSE LOT LINE

East FRONT YARD Setback 2.5 metres

West REAR YARD Setback 2.0 metres

North SIDE YARD Setback 3.0 metres

South SIDE YARD Setback 2.5 metres

Individual TRIPLEX/TOWNHOUSE UNITS/LOTS

LOT FRONTAGE Minimum 9.8 metres

LOT AREA Minimum 210 square metres

per DWELLING UNIT

Minimum Setback from DWELLING to 4.5 metres

Internal Drive

Minimum Setback from Attached Garage to 6.0 metres Internal Drive

Minimum Distance from Rear of 4.0 metres DWELLING to Closest UNIT LOT LINE

Minimum Separation Distance Between 2.0 metres BLOCKS of TRIPLEXES/TOWNHOUSES

- 4. Notwithstanding Section 5.6 DECKS may be located on the UNIT LOT LINE.
- 5. Notwithstanding Section 5.6 (b) SCREENING DEVICE a 1.8 metre high SCREENING DEVICE, measured from GRADE with an overall aggregate area of no larger than ten (10) square metres, may be located on the UNIT LOT LINE.
- 6. Notwithstanding Section 5.2 Access for the purposes of this By-law a private *STREET* shall be considered a *STREET*.

(70 ELMWOOD AVENUE)

12.8.41 <u>RM3-X29 ZONE</u> By-law 2010-144)

- 1. That Part of Lots 42 and 43, Plan 555 and shown on Schedule "A" attached to By-law 2010-144 as "Change to RM3-X29 ZONE" is hereby rezoned RM3-X29 ZONE.
- 2. That the *USES* permitted in the RM3-X29 *ZONE* shall be those permitted in the RM3 *ZONE* and a 5 unit residential *BUILDING*.
- 3. That the *ZONE* provisions for the RM3-X29 *ZONE* shall be as follows:

Minimum LOT FRONTAGE 15 metres

Minimum LOT AREA 700 square metres

Maximum LOT COVERAGE 42%

Minimum FRONT YARD Setback 3.7 metres

Minimum REAR YARD Setback To Main 22.0 metres

BUILDING

To 2.9 metres

ACCESSORY BUILDING

Minimum East YARD Setback To Main 3.4 metres

BUILDING

To 7.8 metres

ACCESSORY BUILDING

Minimum West SIDE YARD Setback To Main 1.0 metre

BUILDING

To 0.37 metres

ACCESSORY BUILDING

YARD Encroachment Concrete Porch and Steps to

FRONT LOT LINE

Minimum No. of PARKING SPACES 3

(33-35 PARK STREET)

12.8.42 <u>H-RM3-X30 ZONE</u> (By-law 2010-145)

1. That Part of Lots 18 and 19, Concession 2, former Township of Crowland, now in the City of Welland and shown on Schedule "A" attached to By-law 2010-145 as "Change to H-RM3-X30 ZONE" is hereby rezoned H-RM3-X30 ZONE.

2. That the *USES* permitted in the H-RM3-X30 *ZONE* shall be *STREET TOWNHOUSES* only.

3. That the provisions of the H-RM3-X30 *ZONE* shall be as follows:

	REGULATIONS FOR A STREET TOWNHOUSE	REGULATIONS FOR EACH DWELLING UNIT OF A STREET TOWNHOUSE
Minimum LOT FRONTAGE	6.0 metres	Interior Unit – Minimum 6.0 metres
		End Unit – Minimum 9.0 metres
Minimum LOT AREA	1,700 square metres	180 square metres
Minimum FRONT YARD	4.5 metres to DWELLING UNIT	4.5 metres to DWELLING UNIT
	6.0 metres to Attached Garage	6.0 metres to Attached Garage
Minimum REAR YARD	6.0 metres	6.0 metres
Minimum SIDE YARD	3.0 metres	End Units – 3.0 metres
		Interior Units – 1.2 metres

Common Wall – 0 metres

For DECKS in the REAR YARD the SIDE YARD setback shall be 0 metres. A maximum 1.8 metre SCREENING DEVICE, measured from GRADE, may be located between DECKS in the REAR YARD

For PORCHES/roofed platforms in the FRONT YARD, the SIDE YARD setback shall be 0 metres except for CORNER LOTS

Maximum BUILDING 12.5 metres 12.5 metres

HEIGHT

Minimum LANDSCAPED 20%

20%

OPEN SPACE

Maximum

COVERAGE

BUILDING.

LOT 60%

60%

4. Notwithstanding Section 5.7 (d) of By-law 2667, as amended, PORCHES/roofed platforms may exceed 75% of the width of the main

- 5. Notwithstanding Section 5.7 of By-law 2667, as amended, *PORCHES*/roofed platforms are permitted to encroach a maximum 2.0 metres into the *FRONT YARD*. In the case of *CORNER LOTS*, such encroachment of *PORCH*/roofed platform is not permitted.
- 6. Notwithstanding Section 5.7 of By-law 2667, as amended, covered or uncovered steps/stairs that are used to provide access from the ground to the PORCH/roofed platform, permitted as an encroachment, shall be located no closer than 1.0 metre from the FRONT LOT LINE on all LOTS except CORNER LOTS. In the case of CORNER LOTS, no encroachment of covered or uncovered steps/stairs is permitted.
- 7. Notwithstanding Section 5.20.1 of By-law 2667, as amended, each required *PARKING SPACE* shall be made accessible for ingress and egress by means of a hard surface driveway being a minimum of 2.7 metres in width to the *STREET*.
- 8. Notwithstanding Section 2.49 (k), for the purposes of this By-law only, a *TOWNHOUSE* is defined as a *BUILDING* divided vertically into not less than

four (4) and not more than nine (9) attached, non-communicating *DWELLING UNITS*.

(CENTRAL VILLAGE SUBDIVISION - WEST OF WELLAND BY-PASS CANAL, EAST OF LOCHNESS GOLF COURSE)

12.8.43 H-RM3-X31 ZONE (By-law 2010-145)

- 1. That Part of Lots 18 and 19, Concession 2, former Township of Crowland, now in the City of Welland and shown on Schedule "A" attached TO By-law 2010-145 as "Change to H-RM3-X31 ZONE" is hereby rezoned H-RM3-X31 ZONE.
- 2. That the USES permitted in the H-RM3-X31 ZONE shall be SINGLE-DETACHED DWELLINGS and STREET TOWNHOUSES.
- 3. That the provisions of the H-RM3-X31 *ZONE* shall be as follows:

SINGLE-DETACHED DWELLING

LOT FRONTAGE Minimum 10.9 metres

LOT AREA Minimum 320 square metres

YARD Requirements

FRONT YARD Minimum 4.5 metres to

DWELLING UNIT

Minimum 6.0 metres to

Attached Garage

REAR YARD Minimum 6.0 metres

SIDE YARD Minimum one side 1.2 metres

Minimum other side - 0.6

metres

Maximum LOT COVERAGE 50%

REGULATIONS FOR REGULATIONS FOR A STREET EACH DWELLING TOWNHOUSE UNIT OF A STREET TOWNHOUSE

Minimum LOT FRONTAGE 6.0 metres Interior Unit – Minimum

6.0 metres

End Unit - Minimum

9.0 metres

Minimum LOT AREA 1,700 square metres 180 square metres

Minimum FRONT YARD 4.5 metres to 4.5 metres to

DWELLING UNIT	DWELLING UNIT
DIVELENTO OTTO	DIVELENTO CITI

6.0 metres to 6.0 metres to Attached

Attached Garage Garage

Minimum REAR YARD 6.0 metres 6.0 metres

Minimum SIDE YARD 3.0 metres End Units – 3.0 metres

Interior Units - 1.2

metres

Common Wall - 0

metres

For DECKS in the REAR YARD the SIDE YARD setback shall be 0 metres. A maximum 1.8 metre high SCREENING DEVICE, measured from GRADE, be may located between DECKS in the REAR YARD

For PORCHES/roofed platforms in the FRONT YARD, the SIDE YARD setback shall be 0 metres except for CORNER LOTS

Maximum BUILDING 12.5 metres 12.5 metres HEIGHT

Minimum LANDSCAPED 20% 20% OPEN SPACE

Maximum LOT 60% 60% COVERAGE

- 4. Notwithstanding Section 5.7 (d) of By-law 2667, as amended, *PORCHES*/roofed platforms may exceed 75% of the width of the main *BUILDING*.
- 5. Notwithstanding Section 5.7 of By-law 2667, as amended, *PORCHES*/roofed platforms are permitted to encroach a maximum 2.0 metres into the *FRONT YARD*. In the case of *CORNER LOTS*, such encroachment of *PORCH*/roofed platform is not permitted.
- 6. Notwithstanding Section 5.7 of By-law 2667, as amended, covered or uncovered steps/stairs that are used to provide access from the ground to the

PORCH/roofed platform, permitted as an encroachment, shall be located no closer than 1.0 metre from the *FRONT LOT LINE* on all *LOTS* except *CORNER LOTS*. In the case of *CORNER LOTS*, no encroachment of covered or uncovered steps/stairs is permitted.

- 7. Notwithstanding Section 5.20.1 of By-law 2667, as amended, each required *PARKING SPACE* shall be made accessible for ingress and egress by means of a hard surface driveway being a minimum of 2.7 metres in width to the *STREET*.
- 8. Notwithstanding Section 2.49 (k), for the purposes of this By-law only, a *TOWNHOUSE* is defined as a *BUILDING* divided vertically into not less than four (4) and not more than nine (9) attached, non-communicating *DWELLING UNITS*.
- 9. That the number of *DWELLING UNITS* per *BLOCK* as shown on Schedule "B" attached to By-law 2010-145 shall be as follows:

BLOCK NO. (DRAFT PLAN)	MINIMUM NO. OF DWELLING UNITS	MAXIMUM NO. OF UNITS
1	9	20
2	8	11
3	8	11
4	20	25
5	8	11
6	8	11
7	14	23
8	9	9
9	9	9
10	9	9
11	9	9
12	7	15

(CENTRAL VILLAGE SUBDIVISION - WEST OF WELLAND BY-PASS CANAL, EAST OF LOCHNESS GOLF COURSE)

12.8.44 <u>RM3-X32 ZONE</u> (By-law 2011-49)

1. That Lots 118, 119, 120, 121, 153, Part of Lots 122, 154, 155, 156 and 157, Part of Goodwin Street, Plan 953, being Part 1, Plan 59R-14421 and shown on Schedule "A" attached to By-law 2011-49 hereto as "Change to RM3-X32 ZONE" is hereby rezoned RM3-X32 ZONE.

- 2. That the *USES* permitted in the RM3-X32 *ZONE* shall be those permitted in the RM3 *ZONE*.
- 3. That the provisions of the RM3-X32 ZONE shall be those provided for in the RM3 ZONE save and except as follows:

Minimum LOT FRONTAGE

40 metres

Minimum LOT AREA

2,300 square metres

(675 TANGUAY AVENUE)

- 12.8.45 H-RM3-X33 ZONE (By-law 2011-59) (HOLDING SYMBOL "H" PARTIALLY REMOVED BY BY-LAW 2012-9 (PHASE 1 PART OF LOTS 18 AND 19, CONCESSION 1, BEING PARTS 1 AND 2, PLAN 59R-10855 AND BY-LAW 2016-177 (PART OF LOTS 18 AND 19, CONCESSION 1, BEING PARTS 1 AND 2, PLAN 59R-10855 LOTS 1 TO 47 INCLUSIVE, BLOCKS 48 TO 52, PLAN 59M-433)
 - 1. That Part of Lots 18 and 19, Concession 1, former Township of Crowland, now in the City of Welland and shown on Schedule "A" attached to By-law 2011-59 as "Change to H-RM3-X33 ZONE" is hereby rezoned H-RM3-X33 ZONE.
 - 2. The USES permitted in the H-RM3-X33 ZONE shall be a SINGLE-DETACHED DWELLING, a SEMI-DETACHED DWELLING, a STREET TOWNHOUSE.
 - 3. For the purposes of this *ZONE*, the following definition shall apply:
 - "Upper Level Platform A raised, unenclosed platform greater than 1.5 metres in height and less than 2.4 metres in height above *GRADE*, excluding guardrails and handrails projecting horizontally from the face of the wall of the main *BUILDING* supported by columns or brackets on the ground."
 - The provisions of the H-RM3-X33 ZONE shall be those provided in Zoning Provision Table 1.
 - 5. The provisions of Section 5.2 and 5.20 of By-law 2667, as amended, shall apply save and except references to *STREET* may be read as private *STREETS*.
 - 6. Notwithstanding Section 5.7 Encroachments the following shall apply:
 - (a) The walking surface of upper level platforms shall be permitted to encroach a maximum of 3.0 metres into the REQUIRED REAR YARD;
 - (b) PORCHES/roofed platforms may exceed 75% of the width of the main BUILDING;
 - (c) PORCHES/roofed platforms are permitted to encroach a maximum of 2.0 metres into the FRONT YARD. In the case of CORNER LOTS, such encroachment of PORCH/roofed platform is not permitted;
 - (d) Covered or uncovered steps/stairs that are used to provide access from the ground to the PORCH/roofed platform, permitted as an encroachment, shall be no closer than 1.0 metre from the FRONT LOT LINE. In the case of CORNER LOTS, no encroachment of covered or

uncovered steps/stairs is permitted;

- 7. Notwithstanding Section 5.20.1 of By-law 2667, as amended, each required *PARKING SPACE* shall be made accessible for ingress and egress by means of a hard surface driveway, being a minimum of 2.7 metres in width, to the *STREET*.
- 8. For STREET TOWNHOUSE UNITS with DECKS in the REAR YARD, the SIDE YARD setback shall be a minimum 0 metres. A maximum 1.8 metre high SCREENING DEVICE, measured from GRADE, may be located between DECKS in the REAR YARD.
- 9. For STREET TOWNHOUSE UNITS with PORCHES/roofed platforms in the FRONT YARD, the SIDE YARD setback shall be a minimum 0 metres except for CORNER LOTS.
- 10. Notwithstanding Section 2.49 (k), for purposes of this *ZONE* only, a *TOWNHOUSE* is defined as a *BUILDING* divided vertically into not less than four (4) and not more than nine (9) attached, non-communicating *DWELLING UNITS*.
- 11. The number of *DWELLING UNITS* per *BLOCK* as shown on Schedule "B" attached to By-law 2011-59 is as follows:

BLOCK NO.	MINIMUM NO. OF UNITS	MAXIMUM NO. OF UNITS
2	9	27
3	18	54
4	18	54
5	18	54
7	15	50
9	9	28
11	16	47

(NORTH VILLAGE SUBDIVISION)

TABLE 1

ZONE	PERMITTED USES	MINIMU	IM LOT REQUIF	REMENTS	MIN	IIMUM YARDS	(M)			MAXIMUM BUILDING	MAXIMUM LOT
		FRONTAGE (M)	AREA (M²)	LANDSCAPED OPEN SPACE		FRONT		SIDE	REAR	HEIGHT	COVERAGE
		(11)		OI EN OI NOE	TO GARAGE	TO MAIN BUILDING	TO PORCH				
H-RM3-X33	Single-detached dwellings	11.6	320		6.0	4.5	2.5	0.6 and 1.2	7.0		65%
H-RM3-X33	Semi-detached dwellings	18.0	500		6.0	4.5	2.5	1.2	7.0		65%
H-RM3-X33	For each Dwelling unit of a semi-detached dwelling	9	250					Common Wall – 0	7.0		65%
H-RM3-X33	Street Townhouse	6.0	180	20%	6.0	4.5	2.5		7.0	12.5	65%
H-RM3-X33	For each Dwelling Unit of a Street Townhouse							End unit - 3.0 Interior Units - 1.2 Common Wall - 0			

- 12.8.46 <u>H-RM3-X34 ZONE</u> (By-law 2011-59) (HOLDING SYMBOL "H" PARTIALLY REMOVED BY BY-LAW 2016-177 (PART OF LOTS 18 AND 19, CONCESSION 1, BEING PARTS 1 AND 2, PLAN 59R-10855 LOTS 1 TO 47 INCLUSIVE, BLOCKS 48 TO 52, PLAN 59M-433)
 - 1. That Part of Lots 18 and 19, Concession 1, former Township of Crowland, now in the City of Welland and shown on Schedule "A" attached to By-law 2011-59 as "Change to H-RM3-X34 *ZONE*" is hereby rezoned H-RM3-X34 *ZONE*.
 - 2. The USES permitted in the H-RM3-X34 ZONE shall be a SINGLE-DETACHED DWELLING, a SEMI-DETACHED DWELLING, a STREET TOWNHOUSE.
 - 3. For the purposes of this *ZONE*, the following definition shall apply:
 - i. "Upper Level Platform A raised, unenclosed platform greater than 1.5 metres in height and less than 2.4 metres in height above GRADE, excluding guardrails and handrails projecting horizontally from the face of the wall of the main BUILDING supported by columns or brackets on the ground."
 - 4. The provisions of the H-RM3-X34 *ZONE* shall be those provided in Zoning Provisions Table 2.
 - 5. The provisions of Section 5.2 and 5.20 of By-law 2667, as amended, shall apply save and except references to *STREET* may be read as private *STREETS*.
 - 6. Notwithstanding Section 5.7 Encroachments the following shall apply:
 - (a) The walking surface of upper level platforms shall be permitted to encroach a maximum of 3.0 metres into the REQUIRED REAR YARD;
 - (b) PORCHES/roofed platforms may exceed 75% of the width of the main BUILDING;
 - (c) PORCHES/roofed platforms are permitted to encroach a maximum of 2.0 metres into the FRONT YARD. In the case of CORNER LOTS, such encroachment of porch/roofed platform is not permitted;
 - (d) Covered or uncovered steps/stairs that are used to provide access from the ground to the PORCH/roofed platform, permitted as an encroachment, shall be no closer than 1.0 metre from the FRONT LOT LINE. In the case of CORNER LOTS, no encroachment of covered or uncovered steps/stairs is permitted;
 - 7. Notwithstanding Section 5.20.1 of By-law 2667, as amended, each required *PARKING SPACE* shall be made accessible for ingress and egress by means of a hard surface driveway, being a minimum of 2.7 metres in width, to the *STREET*.
 - 8. For STREET TOWNHOUSE UNITS with DECKS in the REAR YARD, the SIDE YARD setback shall be a minimum 0 metres. A maximum 1.8 metre high SCREENING DEVICE, measured from GRADE, may be located between DECKS in the REAR YARD.

- 9. For STREET TOWNHOUSE UNITS with PORCHES/roofed platforms in the FRONT YARD, the SIDE YARD setback shall be a minimum 0 metres except for CORNER LOTS.
- Notwithstanding Section 2.49 (k), for purposes of this ZONE only, a TOWNHOUSE is defined as a BUILDING divided vertically into not less than four (4) and not more than nine (9) attached, non-communicating DWELLING UNITS.
- 11. The number of *DWELLING UNITS* per *BLOCK* as shown on Schedule "B" attached to By-law 2011-59 is as follows:

BLOCK NO.	MINIMUM NO. OF UNITS	MAXIMUM NO. OF UNITS
10	15	45

(NORTH VILLAGE SUBDIVISION)

TABLE 2

ZONE	PERMITTED USES	MINIMUN	I LOT REQUIRE	EMENTS	MIN	IMUM YARDS	(M)			MAXIMUM BUILDING	MAXIMUM LOT
		FRONTAGE (M)	AREA (M²)	LANDSCAPED OPEN SPACE		FRONT		SIDE	REAR	HEIGHT	COVERAGE
				OI EN SI AGE	TO GARAGE	TO MAIN BUILDING	TO PORCH				
H-RM3- X34	Single-detached dwellings	11.6	320		6.0	4.5	2.5	0.6 and 1.2	6.0		65%
H-RM3- X34	Semi-detached dwellings	18.0	500		6.0	4.5	2.5	1.2	6.0		65%
H-RM3- X34	For each Dwelling unit of a semi-detached dwelling	9	250					Common Wall – 0	6.0		65%
H-RM3- X34	Street Townhouse	6.0	180	20%	6.0	4.5	2.5		6.0	12.5	65%
H-RM3- X34	For each Dwelling Unit of a Street Townhouse							End unit - 3.0 Interior Units - 1.2 Common Wall - 0			

12.8.47 H-RM3-X35 ZONE (By-law 2012-42)

- That Lots 134 to 141 inclusive, 143 to 152 inclusive, 286 to 295 inclusive, Part 1. of Lots 133, 142, 153, 285, 296 to 300 inclusive, 436 to 439 inclusive, Part of closed Front Street Road Allowance, Part of closed Lawrence Avenue Road Allowance, Part of closed Roxborough Street Road Allowance and Part of Sheffield Avenue Road Allowance, Plan 947, Registered Plan 26, former Township of Crowland, now in the City of Welland and shown on Schedule "A" attached to By-law 2012-42 as "Change to H-RM3-X35 ZONE" is hereby rezoned H-RM3-X35 ZONE.
- 2. That the USES permitted in the H-RM3-X35 ZONE shall be a STREET TOWNHOUSE and a FREEHOLD TRIPLEX and BUILDINGS, STRUCTURES and USES ACCESSORY thereto.
- 3. That the provisions of the H-RM3-X35 ZONE shall be those provided for in the RM3 ZONE save and except as follows:

FREEHOLD TRIPLEX						
		LATIONS FO EHOLD EX	OR	FOR DWE OF A	ULATIONS EACH ELLING UN FREEHO	IIT
Minimum FRONT YARD				4.5 DWE	metres ELLING UN	to <i>IT</i>
				6.0 attac	metres hed garage	to
LOT COVERAGE	Maxim	um 50%		Maxii	mum 50%	
STREET TOWNHOUSE						
	A STR	LATIONS FO PEET IHOUSE	OR	FOR DWE OF A	ULATIONS EACH ELLING UN STREET 'NHOUSE	
Minimum LOT FRONTAGE	27 met	res		Interi metre	or Unit – es	6.0
					Corner Un netres	it –
					Interior Un netres	it –
Minimum LOT AREA	928 sq	uare metres		210 s	square met	res
Minimum FRONT YARD	6.0	metres	to	6.0	metres	to

attached garage attached garage

4.5 metres to 4.5 metres to DWELLING UNIT DWELLING UNIT

Minimum REAR YARD 7.5 metres 7.5 metres

Minimum SIDE YARD End Corner Unit – 3.0 End Corner Unit –

metres 3.0 metres

End Interior Unit – 1.5 End Interior Unit – metres 1.5 metres

1.0 11101100

Interior Unit – 1.0 metres

Common Wall - 0

metres

Maximum LOT COVERAGE 45% per BLOCK 50% per unit

No *BUILDINGS* or *STRUCTURES* shall be permitted within 14 metres of the Ministry of Transportation designated future Highway 406 corridor.

4. Until such time as the Holding Symbol (H) is removed the only *USES* permitted shall be Model Homes in accordance with the Subdivider's Agreement.

(CANAL VIEW HEIGHTS SUBDIVISION)

12.8.48 **RM3-X36 ZONE** (By-law 2013-96)

- 1. That Part of Lot 29, Concession 5, former Township of Crowland, now in the City of Welland, and shown on Schedule "A" attached to By-law 2013-96 as "Change to RM3-X36 ZONE" is hereby rezoned RM3-X36 ZONE.
- 2. That the *USES* permitted in the RM3-X36 *ZONE* shall be a maximum of ten *TOWNHOUSE DWELLINGS* and a two *UNIT DWELLING*.
- 3. That the *ZONE* provisions for the RM3-X36 *ZONE* shall be as follows:

Minimum LOT FRONTAGE 24.5 metres

Minimum LOT AREA 1.2 hectares

Maximum LOT COVERAGE 40%

Minimum FRONT YARD Setback (from 16.0 metres

Riverside Drive)

Minimum REAR YARD Setback 70.0 metres

Minimum East SIDE YARD Setback 1.6 metres

Minimum West SIDE YARD Setback 4.4 metres

Minimum GROSS FLOOR AREA

42.0 square metres/dwelling unit

For Any New BUILDING

The requirements of the RM3-X36 ZONE shall be those provided for in the RM3-X36 ZONE save and except:

Minimum FRONT YARD Setback (from 6.0 metres Riverside Drive)

Minimum East SIDE YARD Setback 4.5 metres

Minimum West SIDE YARD Setback 4.5 metres

- 4. Notwithstanding Section 5.20.4.1, *PARKING SPACES* may be located within the *FRONT YARD*.
- 5. Notwithstanding Section 5.6 *DECKS* a *DECK* on the southwest side of the westerly *TOWNHOUSE BLOCK* may be located closer than 1.2 metres from the westerly *SIDE LOT LINE*.

(160 RIVERSIDE DRIVE)

12.8.49 <u>H-RM3-X37 ZONE</u> (By-law 2013-105) (HOLDING SYMBOL REMOVED BY BY-LAW 2014-9)

- 1. That Part of Block 82, Plan 59M-374, in the City of Welland and shown on Schedule "A" attached to By-law 2013-105 as "Change to H-RM3-X37 *ZONE*" is hereby rezoned H-RM3-X37 *ZONE*.
- 2. That the USES permitted in the H-RM3-X37 ZONE shall be SEMI-DETACHED DWELLINGS, accessory DWELLING UNITS and BUILDINGS, STRUCTURES and USES accessory thereto.
- 3. That the provisions of the H-RM3-X37 *ZONE* shall be those provided for in the RM3 *ZONE* save and except as follows:

LOT COVERAGE

Maximum 51%

(COYLE CREEK ESTATES PHASE 6 SUBDIVISION)

12.8.50 <u>H-RM3-X38 ZONE</u> (By-law 2013-105) (HOLDING SYMBOL REMOVED BY BY-LAW 2014-9)

- 1. That Part of Block 82 and Part of Lot 44, Plan 59M-374, in the City of Welland and shown on Schedule "A" attached to By-law 2013-105 as "Change to H-RM3-X38 ZONE" is hereby rezoned H-RM3-X38 ZONE.
- 2. That the USES permitted in the H-RM3-X38 ZONE shall be FREEHOLD TRIPLEX, STREET TOWNHOUSE, accessory DWELLING UNITS and BUILDINGS, STRUCTURES and USES accessory thereto.
- 3. That the provisions of the H-RM3-X38 ZONE shall be those provided for in

the RM3 ZONE save and except as follows:

Minimum FRONT YARD Setback 4.5 metres to a DWELLING

UNIT

6.0 metres to an attached

garage

Minimum SIDE YARD Setback Minimum End units – 1.2

metres

Minimum Interior Units - 1.2

metres

Minimum Common Wall - 0

metres

LOT COVERAGE Maximum 51%

(COYLE CREEK ESTATES PHASE 6 SUBDIVISION)

12.8.51 **RM3-X39 ZONE** (By-law 2014-120)

- 1. That Part Lot 1, Concession 13, former Township of Pelham, now in the City of Welland and shown on Schedule "A" attached to By-law 2014-120 as "Change to RM3-X39 ZONE" is hereby rezoned RM3-X39 ZONE.
- 2. That the *USES* permitted in the RM3-X39 *ZONE* shall be a *FREEHOLD TRIPLEX* and one accessory *DWELLING UNIT* within each unit of the *FREEHOLD TRIPLEX*.
- 3. That the provisions of the RM3-X39 *ZONE* shall be those provided for in the RM3 *ZONE* save and except the following:

Maximum LOT COVERAGE 54%

Maximum LOT COVERAGE for each 59% DWELLING UNIT

- 4. That the minimum GROSS FLOOR AREA of each accessory DWELLING UNIT shall be 45 square metres. Notwithstanding Section 2.61 the GROSS FLOOR AREA for the accessory DWELLING UNIT shall include any floor area in a CELLAR.
- 5. Notwithstanding the provisions of Section 5.20.4.1 one *PARKING SPACE* is permitted in the *FRONT YARD*.

(WEST SIDE OF SOUTH PELHAM ROAD, SOUTH OF FITCH STREET)

12.8.52 <u>H-RM3-X40 ZONE</u> (By-law 2014-139) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2016-140)

 That Part of Lot 1, Concession 13 and Part of Lot 1, Concession 14, former Township of Pelham, now in the City of Welland and shown on Schedule "A" attached to By-law 2014-139 as "Change to H-RM3-X40 ZONE" is hereby

rezoned H-RM3-X40 ZONE.

- 2. That the *USES* permitted in the H-RM3-X40 *ZONE* shall be those permitted in the RM3 *ZONE* and a accessory *DWELLING UNIT* located in the principal *DWELLING UNIT*, subject to the following criteria:
 - a. The minimum *GROSS FLOOR AREA* of the accessory *DWELLING UNIT* shall be 45 square metres. Notwithstanding Section 2.61 the *GROSS FLOOR AREA* for the accessory *DWELLING UNIT* shall include any floor area in a *CELLAR*; and
 - b. One additional on-site *PARKING SPACE* is provided exclusively for the accessory *DWELLING UNIT*.
- 3. That the provisions of the H-RM3-X40 *ZONE* shall be those provided for in the RM3 *ZONE* save and except as follows:

SINGLE-DETACHED DWELLING AND GROUP HOME

Minimum LOT FRONTAGE	10.0 metres				
Minimum LOT AREA	300 square metres				
Minimum FRONT YARD	4.5 metres to the main fron	t wall of the DWELLING			
	6.0 metres to an attached g	garage			
SIDE YARD Setback	Minimum with windows – 1	.2 metres			
	Minimum without windows	- 1.0 metres			
LOT COVERAGE	Maximum 50%				
Permitted Encroachments	A covered, unenclosed <i>PORCH</i> is permitted to encroach into a required <i>REAR YARD</i> to a maximum of 3.0 metres.				
SEMI-DETACHED DWELLING	REGULATIONS FOR A SEMI-DETACHED DWELLING	REGULATIONS FOR EACH <i>DWELLING UNIT</i> OF A <i>SEMI-DETACHED</i>			
	SEMI-DETACHED	EACH DWELLING UNIT			
DWELLING	SEMI-DETACHED DWELLING Minimum 575 square	EACH DWELLING UNIT OF A SEMI-DETACHED Minimum 280 square			
LOT AREA	SEMI-DETACHED DWELLING Minimum 575 square metre	EACH DWELLING UNIT OF A SEMI-DETACHED Minimum 280 square			

where there are no where there are no windows and 1.2 metres where there are windows

windows and 1.2 metres where there are windows and 0 metres for a common wall

Permitted Encroachments

encroach into a required encroach into a required REAR YARD to maximum of 3.0 metres

A covered, unenclosed A covered, unenclosed PORCH is permitted to PORCH is permitted to REAR YARD maximum of 3.0 metres

DUPLEX

LOT FRONTAGE 18.0 metres

LOT AREA 575 square metres

LOT COVERAGE 50%

4.5 metres to the main front wall of the DWELLING Minimum FRONT YARD

6.0 metres to an attached garage

SIDE YARD Minimum with windows - 1.2 metres

Minimum without windows - 1.0 metres

Permitted Encroachments A covered, unenclosed PORCH is permitted to

encroach into a required REAR YARD to a maximum of

3.0 metres

TRIPLEX AND FOURPLEX

Permitted Encroachments A covered, unenclosed PORCH is permitted to

encroach into a required REAR YARD to a maximum of

3.0 metres

FREEHOLD TRIPLEX REGULATIONS FOR A REGULATIONS **FOR**

> EACH DWELLING UNIT FREEHOLD TRIPLEX OF Α FREEHOLD

> > **TRIPLEX**

LOT FRONTAGE Minimum 21.0 metres Minimum 6.0 metres for

> an interior unit and 7.5 metres for an end unit

LOT AREA Minimum 630 square Minimum 180 square

metre metres

LOT COVERAGE Maximum 55% Maximum 55%

FRONT YARD Minimum 4.5 metres to Minimum 4.5 metres to

	the front face of the <i>DWELLING</i> and minimum 6.0 metres to the front face of the garage	the front face of the <i>DWELLING</i> and minimum 6.0 metres to the front face of the garage
SIDE YARD	Minimum 1.0 metres where there are no windows and 1.2 metres where there are windows	Minimum 1.0 metres for end units with no windows and 1.2 metres for end units with windows and 0 metres for a common wall
Permitted Encroachments	A covered, unenclosed <i>PORCH</i> is permitted to encroach into a required rear yard to a maximum of 3.0 metres	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres
Maximum width of a Driveway	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD
TOWNHOUSE	REGULATIONS FOR A TOWNHOUSE LOT	REGULATIONS FOR A TOWNHOUSE BUILDING
LOT AREA	Minimum 180 square	Minimum 180 square
LOTANLA	metres per DWELLING UNIT	metres per DWELLING UNIT
LOT COVERAGE	metres per DWELLING	metres per DWELLING
	metres per <i>DWELLING UNIT</i>	metres per DWELLING UNIT
LOT COVERAGE	metres per DWELLING UNIT Maximum 55% Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front	metres per DWELLING UNIT N/A Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front
LOT COVERAGE FRONT YARD	metres per DWELLING UNIT Maximum 55% Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front face of the garage Minimum 1.0 metres where there are no windows and 1.2 where	metres per DWELLING UNIT N/A Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front face of the garage Minimum 1.0 metres for end units with no windows and 1.2 metres for end units with windows and 0

STREET TOWNHOUSE	REGULATIONS FOR A STREET TOWNHOUSE	REGULATIONS FOR EACH DWELLING UNIT OF A STREET TOWNHOUSE
LOT FRONTAGE	Minimum 21.0 metres	Interior Unit – Minimum 6.0 metres
		Exterior Unit – Minimum 7.5 metres
LOT AREA	Minimum 800 square metres	Minimum 180 square metres per <i>DWELLING</i> <i>UNIT</i>
LOT COVERAGE	Maximum 55%	Maximum 55%
FRONT YARD	Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front face of the garage	Minimum 4.5 metres to the front face of the <i>DWELLING</i> and minimum 6.0 metres to the front face of the garage
SIDE YARD	Minimum 1.0 metres where there are no windows and 1.2 metres where there are windows	Minimum 1.0 metres for end units with no windows and 1.2 metres for end units with windows and 0 metres for a common wall
Permitted Encroachments	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres
Maximum width of a Driveway	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD

4. Until such time as the Holding Symbol (H) is removed the only *USES* permitted shall be Model Homes in accordance with the Subdivider's Agreement.

(SPARROW MEADOWS ESTATES SUBDIVISION)

12.8.53 <u>H-RM3-X41 ZONE</u> (By-law 2014-139) (HOLDING SYMBOL "H" REMOVED BY BY-LAW 2016-140)

- 1. That Part of Lot 1, Concession 13, former Township of Pelham, now in the City of Welland and shown on Schedule "A" attached to By-law 2014-139 as "Change to H-RM3-X41 *ZONE*" is hereby rezoned H-RM3-X41 *ZONE*.
- 2. That the USES permitted in the H-RM3-X41 ZONE shall be a FREEHOLD TRIPLEX, FOURPLEX, TOWNHOUSE, GROUP HOME, STREET

TOWNHOUSE, BOARDING OR LODGING HOUSE, BED & BREAKFAST and a accessory DWELLING UNIT located in the principal DWELLING UNIT, subject to the following criteria:

- a. The minimum GROSS FLOOR AREA of the accessory DWELLING UNIT shall be 45 square metres. Notwithstanding Section 2.61 the GROSS FLOOR AREA for the accessory DWELLING UNIT shall include any floor area in a CELLAR; and
- b. One additional on-site *PARKING SPACE* is provided exclusively for the accessory *DWELLING UNIT*.
- 3. That the provisions of the H-RM3-X41 *ZONE* shall be those provided for in the RM3 *ZONE* save and except as follows:

FREEHOLD TRIPLEX	REGULATIONS FOR A FREEHOLD TRIPLEX	REGULATIONS FOR EACH <i>DWELLING UNIT</i> OF A <i>FREEHOLD</i> <i>TRIPLEX</i>
LOT FRONTAGE	Minimum 21.0 metres	Minimum 6.0 metres for an interior unit and 7.5 metres for an end unit
LOT AREA	Minimum 630 square metre	Minimum 180 square metres
LOT COVERAGE	Maximum 55%	Maximum 55%
FRONT YARD	Minimum 4.5 metres to the front face of the <i>DWELLING</i> and minimum 6.0 metres to the front face of the garage	
SIDE YARD	Minimum 1.0 metres where there are no windows and 1.2 metres where there are windows	Minimum 1.0 metres for end units with no windows and 1.2 metres for end units with windows and 0 metres for a common wall
Permitted Encroachments	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres
Maximum width of a Driveway	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD

TOWNHOUSE	REGULATIONS FOR A TOWNHOUSE LOT	REGULATIONS FOR A TOWNHOUSE BUILDING
LOT AREA	Minimum 180 square metres per <i>DWELLING</i> <i>UNIT</i>	Minimum 180 square metres per <i>DWELLING</i> <i>UNIT</i>
LOT COVERAGE	Maximum 55%	N/A
FRONT YARD	Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front face of the garage	Minimum 4.5 metres to the front face of the <i>DWELLING</i> and minimum 6.0 metres to the front face of the garage
SIDE YARD	Minimum 1.0 metres where there are no windows and 1.2 metres where there are windows	Minimum 1.0 metres for end units with no windows and 1.2 metres for end units with windows and 0 metres for a common wall
Permitted Encroachments	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres
Maximum width of a Driveway	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD
STREET TOWNHOUSE	REGULATION FOR A STREET TOWNHOUSE	REGULATIONS FOR EACH <i>DWELLING UNIT</i> OF A <i>STREET</i> <i>TOWNHOUSE</i>
LOT FRONTAGE	Minimum 21.0 metres	Interior Unit – Minimum 6.0 metres
		Exterior Unit – Minimum 7.5 metres
LOT AREA	Minimum 800 square metres	Minimum 180 square metres per <i>DWELLING</i> <i>UNIT</i>
LOT COVERAGE	Maximum 55%	Maximum 55%
FRONT YARD	DWELLING and minimum	Minimum 4.5 metres to the front face of the <i>DWELLING</i> and minimum 6.0 metres to the front

	face of the garage	face of the garage
SIDE YARD	Minimum 1.0 metres where there are no windows and 1.2 metres where there are windows	Minimum 1.0 metres for end units with no windows and 1.2 metres for end units with windows and 0 metres for a common wall
Permitted Encroachments	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres	PORCH is permitted to encroach into a required
Maximum width of a Driveway	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD	the width of the FRONT

4. Until such time as the Holding Symbol (H) is removed the only *USES* permitted shall be Model Homes in accordance with the Subdivider's Agreement.

(SPARROW MEADOWS ESTATES SUBDIVISION)

12.8.54 <u>H-RM3-X42 ZONE</u> (By-law 2015-119)

- 1. That Part Township Lot 258, former Township of Thorold, being Parts 1 and 2 on Plan 59R-15305, now in the City of Welland and shown on Schedule "A" attached to By-law 2015-119 as "Change to H-RM3-X42 ZONE" is hereby rezoned H-RM3-X42 ZONE.
- 2. That the USES permitted in the H-RM3-X42 ZONE shall be limited to a STREET TOWNHOUSE, TOWNHOUSE, FREEHOLD TRIPLEX and an accessory DWELLING UNIT located in the principal, subject to the following criteria:
 - a. The minimum *GROSS FLOOR AREA* of the accessory *DWELLING UNIT* shall be 45 square metres.
 - b. Notwithstanding Section 2.61 the GROSS FLOOR AREA for the accessory DWELLING UNIT shall include any floor area in a CELLAR; and
 - c. One additional on-site *PARKING SPACE* is provided exclusively for the accessory *DWELLING UNIT*.
- 3. That the provisions of the H-RM3-X42 ZONE shall be those provided for in the RM3 ZONE save and except as follows:

FREEHOLD TRIPLEX	REGULATIONS FOR A	REGULATIONS	FOR
	FREEHOLD TRIPLEX	EACH DWELLING	UNIT
		OF A FREE	HOLD
		TRIPLEX	

		an interior unit and 7.2 metres for an end unit
LOT AREA	Minimum 540 square metre	Minimum 180 square metres
LOT COVERAGE	Maximum 60%	Maximum 60%
FRONT YARD	Minimum 4.5 metres to the front face of the <i>DWELLING</i> and a minimum 6.0 metres to the front face of the garage	Minimum 4.5 metres to the front face of the <i>DWELLING</i> and a minimum 6.0 metres to the front face of the garage
SIDE YARD	Minimum 1.2 metres	Minimum 1.0 metres for end units with no windows, 1.2 metres for end units with windows, 0 metres for a common wall, and 0 metres for porches/roofed platforms in the FRONT YARD
REAR YARD	Minimum 6.5 metres	Minimum 6.5 metres
Permitted Encroachments	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres	A covered, unenclosed porch is permitted to <i>ENCROACH</i> into a required <i>REAR YARD</i> to a maximum of 3.0 metres
Maximum width of a Driveway	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD
TOWNHOUSE	REGULATIONS FOR A TOWNHOUSE LOT	REGULATIONS FOR A TOWNHOUSE BUILDING
LOT FRONTAGE	Minimum 19.2 metres	N/A
LOT AREA	Minimum 180 square metres per <i>DWELLING</i> <i>UNIT</i>	Minimum 180 square metres per <i>DWELLING</i> <i>UNIT</i>
LOT COVERAGE	Maximum 60%	N/A
FRONT YARD	Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front face of the garage	Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front face of the garage

SIDE YARD	Minimum 1.0 metres where there are no windows and 1.2 where there are windows	Minimum 1.0 metres for end units with no windows, 1.2 metres for end units with windows, 0 metres for a common wall and 0 metres for PORCHES/roofed platforms in the FRONT YARD
REAR YARD	Minimum 6.5 metres	Minimum 6.5 metres
Permitted Encroachments	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres	A covered, unenclosed PORCH is permitted to encroach into a required REAR YARD to a maximum of 3.0 metres
Maximum width of a Driveway	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD	Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD
STREET TOWNHOUSE	REGULATIONS FOR A STREET TOWNHOUSE	REGULATIONS FOR EACH DWELLING UNIT OF A STREET TOWNHOUSE
LOT FRONTAGE	Minimum 19.2 metres	Interior Unit – Minimum 6.0 metres
LOT FRONTAGE	Minimum 19.2 metres	
LOT FRONTAGE LOT AREA	Minimum 19.2 metres Minimum 612 square metres	6.0 metres Exterior Unit – Minimum
	Minimum 612 square	6.0 metres Exterior Unit – Minimum 7.2 metres Minimum 180 square metres per DWELLING
LOT AREA	Minimum 612 square metres	6.0 metres Exterior Unit – Minimum 7.2 metres Minimum 180 square metres per DWELLING UNIT Maximum 60% Minimum 4.5 metres to the front face of the DWELLING and minimum
LOT AREA LOT COVERAGE	Minimum 612 square metres Maximum 60% Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front	6.0 metres Exterior Unit – Minimum 7.2 metres Minimum 180 square metres per DWELLING UNIT Maximum 60% Minimum 4.5 metres to the front face of the DWELLING and minimum 6.0 metres to the front

Permitted Encroachments

encroach into a required encroach into a required REAR YARD to а maximum of 3.0 metres

A covered, unenclosed A covered, unenclosed PORCH is permitted to PORCH is permitted to YARD REAR to maximum of 3.0 metres

Maximum width of a Driveway

Maximum width is 70% of the width of the FRONT YARD or EXTERIOR SIDE YARD

Maximum width is 70% of the width of the FRONT YARD **EXTERIOR** or SIDE YARD

- 4. Notwithstanding Section 5.6 of Zoning By-law 2667 a deck may be setback 0 metres from the SIDE LOT LINE.
- 5. Notwithstanding Section 5.6 (a) of Zoning By-law 2667 a SCREENING DEVICE may be located 0 metres from both SIDE LOT LINES and shall be no greater than 3.0 metres in height above GRADE with an overall aggregate area for each SCREENING DEVICE of no larger than ten (10) square metres.
- 6. Notwithstanding Section 6.3 (a) of Zoning By-law 2667 where a main BUILDING is erected upon a CORNER LOT with its main front entrance facing the flank of such LOT, such main BUILDING shall be deemed to have one FRONT YARD setback, on the STREET upon which such LOT fronts and a 1.2 metre setback on the STREET upon which said LOT FLANKS.
- 7. Notwithstanding Section 6.3 (b) of Zoning By-law 2667 where a main BUILDING is erected upon a CORNER LOT with its main front entrance facing the front of such LOT, such main BUILDING shall have a FRONT YARD as required in this By-law, but the width of the SIDE YARD facing the STREET upon which the LOT FLANKS shall be 1.2 metres.
- 8. Notwithstanding the maximum LOT COVERAGE of 60% of the area of the LOT, PORCHES and roofed platforms are excluded from the calculation of LOT COVERAGE.
- 9. Until such time as the Holding Symbol (H) is removed the only USES permitted shall be Model Homes in accordance with the Subdivider's Agreement.

(VANIER ESTATES SUBDIVISION)

12.8.55 RM3-X43 ZONE (By-law 2017-74)

- That Lots 188 to 190, 195, 196, 199, 200, 210 to 239, 292 to 323, Plan 946, 1. Part Lot 191, Plan 946 and Part of Louise Street, Plan 946, being Parts 1 and 2, Plan 59R-15367 and shown on Schedule "A" attached to By-law 2017-74 as "Change to RM3-X43 ZONE" is hereby rezoned RM3-X43 ZONE.
- 2. That the USES permitted in the RM3-X43 ZONE shall be those USES in the RM3 ZONE, accessory DWELLING UNITS and ACCESSORY USES, BUILDINGS and STRUCTURES.
- That the provisions of the RM3-X43 ZONE shall be as follows: 3.

Minimum LOT FRONTAGE 20.0 metres

Minimum LOT AREA 1.8 hectares

Minimum North YARD Setback 6.0 metres

Minimum East YARD Setback 2.0 metres

Minimum South YARD Setback from Part 3 6.0 metres

on Plan 59R-15367

Minimum South YARD Setback (McCabe 4.5 metres

Avenue)

Minimum West YARD Setback 2.0 metres

Minimum Floor Area per *DWELLING UNIT* 60 square metres

Minimum Floor Area per Accessory 45 square metres

DWELLING UNIT

Minimum LOT Density 20 units/hectare

Maximum LOT COVERAGE 30%

Minimum LANDSCAPE OPEN SPACE 30%

Maximum Parking LOT COVERAGE 30%

- 4. That notwithstanding the definition of a TOWNHOUSE under Section 2.49 k) of By-law 2667, as amended, the maximum number of *DWELLING UNITS* in one *TOWNHOUSE* shall be nine (9).
- 5. That notwithstanding Section 5.20 of By-law 2667, as amended, the minimum parking requirements are 1.0 spaces per *DWELLING UNIT*.
- 6. For Zoning purposes, all lands within the RM3-X43 *ZONE* are deemed to be one LOT for application of the provisions of the Zoning By-law.
- 7. That notwithstanding Section 5.7 (d) of By-law 2667, as amended, porches and platforms may be 100% of the width of the main *BUILDING* and may extend into the required front yard 2.5 metres.
- 8. Notwithstanding By-law 2667, as amended, the minimum width of any access drive shall be 5.6 metres

(CORDAGE GREEN HOUSING)

12.8.56 **RM3-X44 ZONE** (By-law 2016-121)

- 1. That Part Township Lot 257, former Township of Thorold, being Part 1 and 2 on Plan 59R-12430, now in the City of Welland and shown on Schedule "A" attached to By-law 2016-121 hereto as "Change to RM3-X44 ZONE" is hereby rezoned RM3-X44 ZONE.
- That the provisions of the RM3-X44 ZONE shall be those provided for in the RM3 ZONE for TRIPLEXES and TOWNHOUSES, save and except as follows:

Minimum FRONT YARD Setback 4.5 metres

(DWELLING)

Minimum FRONT YARD Setback (Garage) 6 metres

Minimum REAR YARD Setback 6 metres from rear of unit to

closest LOT LINE

Minimum SIDE YARD Setback 3 metres from end unit to

closest LOT LINE and to another group of dwellings

Encroachments A covered PORCH may

encroach into a required FRONT YARD setback 1.5 metres and 3.5 metres into a required REAR YARD setback

(DRAPER'S CREEK ESTATES (PHASE 3) SUBDIVISION

12.8.57 RM3-X45 ZONE (By-law 2017-35)

- 1. That Part Township Lots 250 and 251, former Township of Thorold, being Parts 2, 5 and 8 on Plan 59R-14614, now in the City of Welland and shown on Schedule "A" attached to By-law 2017-35 as "Change to RM3-X45 ZONE" is hereby rezoned to RM3-X45 ZONE.
- 2. That the provisions of the RM3-X45 *ZONE* shall be those provided for in the RM3 *ZONE*, save and except as follows:

FRONT YARD Setback 4 metres

SIDE YARD Setback between 3 metres TOWNHOUSE BLOCKS and to LOT LINES (including CORNER LOTS)

REAR YARD Setback 5 metres

(485 PRINCE CHARLES DRIVE NORTH)

12.8.58 **RM3 ZONE** (By-law 2017-52)

That Lots 1009, 1010, 1011 and 1012, Plan 951, Part Lot 22, Concession 6, former Township of Crowland, now in the City of Welland, and shown on Schedule "A" attached to By-law 2017-52 as "Change to RM3 ZONE" is hereby rezoned to RM3 ZONE.

(175 SOUTHWORTH STREET)